

Author index

- Aase S** see Hansen S *et al*
Abbott L see Walters JRF *et al*
Abdel Khalek E see Shiha G *et al*
Abeya M see Chalmers-Watson TA *et al*
Abrams K see Canavan C *et al*
 see Rakshit RC *et al*
Abrams KR see Gillies CL *et al*
Adams DH see Heydtmann M *et al*
 see Holt AP *et al*
Adams H see Taneja R *et al*
Adams P see Thuraisingam AI *et al*
Adler J see Labenz J *et al*
Agarwal A see Maitra S *et al*
Agnantis NJ see Anagnostopoulos GK *et al*
Ahluwalia NK see Keshav S *et al*
Ahmad F see Arnold JD *et al*
Ahmad S *et al*. Upregulation of tissue inhibitors of metalloproteinases-1 and -3 in the gastric mucosa in *H pylori* infection, **A61**
Ahmad S see Elphick DA *et al*
Ahmad T *et al*. Loop ileostomy for Crohn's disease: molecular clues to disease pathogenesis, **A101**
 see Cummings JRF *et al*
 see van Heel DA *et al*
Ahmed A *et al*. Traumatic jaundice five months on: a case report, **A32**
 see Banfield A *et al*
Ahmed AK see Elphick DA *et al*
Ahmed MM see Shah A *et al*
Ainley CC see Seward EW *et al*
Aithal GP see Anagnostopoulos GK *et al*
Akbar A *et al*. Percutaneous angioplasty and stent placement in chronic mesenteric ischaemia, **A105**
Akhtar K see Shenoy AH *et al*
Al Dulaimi D see Getliffe KM *et al*
Al-Azzawi F see Rakshit RC *et al*
Alcolado R see Williams L *et al*
Aldhous MC *et al*. Effect of smoking habit and load on clinical presentation and progression in Crohn's disease and ulcerative colitis, **A2**
Alexander GJ see Griffiths WJ *et al*
 see Griffiths WJH *et al*
Alexander GJM see Unitt E *et al*
Alexander GM see Unitt E *et al*
Algladi T *et al*. Simvastatin and inflammation, **A102**
Alhamdani A see Jenkins GJS *et al*
Alison MR see Direkze NC *et al*
Aljabiri M *et al*. Top or bottom first or do both together for iron deficiency anaemia?, **A68**
Aljabiri MR *et al*. Are dyspepsia guidelines being followed in primary care?, **A110**
Allan L see Thuraisingam AI *et al*
Allen M see Ahmad T *et al*
Allison M see Ghosh S *et al*
Allison MC Matching capacity and demand for endoscopy: a simple mathematical model, **A27**
 see Hebbar S *et al*
 see Hopper AN *et al*
 see Ong J *et al*
 see Somasekar A *et al*
 see Stephens MR *et al*
 see Yearsley KA *et al*
Allison MED see Griffiths WJ *et al*
Alstead EM see Carty E *et al*
 see Wong R *et al*
Anagnostopoulos G see Ragnath K *et al*
Anagnostopoulos GK *et al*. A novel technique of endoscopic ultrasound guided Trucut mural biopsies in the investigation of unexplained thickening of oesophagogastric wall, **A16**
 Impact of a specialist clinic in the management of patients with Barrett's oesophagus, **A108**
 P27 is downregulated in gastric precancerous lesions and correlates with survival on gastric carcinoma patients, **A85**
 Sequential sampling: optimising the use of two endoscopic ultrasound guided tissue sampling techniques, **A16**
 see Fortun P *et al*
Anandakumar M see George AT *et al*
Anderloni A *et al*. Is interferon alpha therapy safe and effective for patients with chronic hepatitis C and inflammatory bowel disease? A case control study, **A50**
Anderloni A see Parente F *et al*
Anderson C see Rajan JN *et al*
Anderson JT see Thuraisingam AI *et al*
Anderson N see Russell RK *et al*
Anderson S see Meenan J *et al*
Ando T see Smith MG *et al*
Andreyev HJN see Zakaria N *et al*
Ang L see Cowan ML *et al*
Ang YS see Rao S *et al*
Angerson WJ see Taha AS *et al*
Anggiansah A *et al*. Day to day variability of 48 hour oesophageal pH monitoring by bravo capsule, **A22**
 see Anggiansah R *et al*
 see Lee JTM *et al*
Anggiansah R *et al*. Proximal oesophageal pH monitoring: should oesophageal length affect positioning?, **A78**
 see Anggiansah A *et al*
 see Lee JTM *et al*
Anseron JH see Muhtaseb MS *et al*
Arasaradnam RP *et al*. Isolated terminal ileal ulceration (ITI_U)—is it always Crohn's?, **A98**
 Polyp prevalence in a cohort of 1445 patients with isolated rectal bleeding: what are we missing with just the flexible sigmoidoscope?, **A12**
Ardill J see Davies AHG *et al*
Ardill JES see Cadden IS *et al*
Ardizzone S see Anderloni A *et al*
 see Parente F *et al*
Argent RH *et al*. Evolution of *Helicobacter pylori* VacA and CagA genes within individuals and families is common and changes virulence, **A25**
Arkoumani E see Anagnostopoulos GK *et al*
Armour DL see Vijayan B *et al*
Armstrong D see Labenz J *et al*
Arnold JD *et al*. Prevalence of *Helicobacter pylori* infection in white Caucasian and South Asian patients with IBD, **A90**
 Value of serum transferrin receptor levels in assessing iron status in patients with IBD, **A91**
Arnott IDR see Aldhous MC *et al*
 see Noble CL *et al*
 see Rajan JN *et al*
Arsene D see Breton J *et al*
Ashurst L see Baumgartner HK *et al*
Asrress KN see Hayat JO *et al*
Atherfold PA *et al*. Gastrin induces pleiomorphic changes associated with Barrett's metaplasia: "a wolf in sheep's clothing"?, **A29**
 TNF α accelerates clonal selection of Barrett's epithelium, **A30**
Atherton CT see James MW *et al*
Atherton JC see Argent RH *et al*
 see Avilés F *et al*
 see James MW *et al*
Atkinson W *et al*. Exaggerated postprandial colonic motility in irritable bowel syndrome: a role for 5-hydroxytryptamine?, **A35**
Auld CD see McCole DC and Auld CD
Aung MO see Lim SG *et al*
Austin SC see Doherty GA *et al*
Avilés F *et al*. Human antibody response against the p58 subunit of the *Helicobacter pylori* cytotoxin: serotyping VacA, **A84**
Aviles-Jimenez F see Argent RH *et al*
Axon ATR see Ford AC *et al*
Aziz Q see Duncley P *et al*

- see Matthews PJ *et al*
 see Willert RP *et al*
 see Worthen SF *et al*
- Baburajan BK** *et al*. The Glasgow Alcoholic Hepatitis Score is not superior to the discriminant function in predicting 12 month mortality, **A48**
- Bailey A** see Moran G *et al*
 see Robins G *et al*
- Bailey AG** see Ford AC *et al*
- Bailey C** *et al*. A potential role for the chemokine receptor CXCR4 and its ligand CXCL12 in the locoregional spread of colorectal cancer, **A83**
- Baird A** see Littleford S *et al*
- Balamurugan R** *et al*. Fecal polymerase chain reaction in diagnosis of intestinal tuberculosis, **A18**
- Baldwin L** see Cameron EAB *et al*
- Balesaria S** see Walters JRF *et al*
- Balkwill F** see Direkze NC *et al*
- Ball C** see Cairns A *et al*
- Ballinger AB** see Makins RJ *et al*
 see Sawczenko A *et al*
- Bamba S** *et al*. The contribution of bone marrow to colonic subepithelial myofibroblasts in interleukin-10 knockout mice, **A17**
- Banait GS** see Levison SE and Banait GS
- Banfield A** *et al*. Hypercalcaemia and a pancreatic mass, **A32**
- Banfield A** see Ahmed A *et al*
- Bansi DS** see Galletly NP *et al*
- Barbour J** *et al*. CARD15, smoking, and time to second operation in ileal Crohn's disease, **A96**
- Barclay S** *et al*. Increased serum alphafetoprotein levels in patients with chronic hepatitis C without hepatocellular carcinoma: a 10 year single centre prospective study, **A44**
- Bardhan KD** see Basumani P *et al*
 see Gordon C *et al*
 see Kalia N *et al*
 see Kostidis K *et al*
- Bargiggia S** see Anderloni A *et al*
- Barker S** *et al*. Colonoscopic and radiological miss rates for colorectal cancer in a district general hospital, **A83**
 see Hebbar S *et al*
- Barley NF** see Walters JRF *et al*
- Barnabas A** see Neil AK *et al*
- Barnden M** see Hayee BH *et al*
- Barr H** see Shetty G *et al*
- Barrett H** see Carty E *et al*
- Barry JD** see Stephens MR *et al*
- Bartlett D** see Anggiansah R *et al*
- Barton JR** see McKeown ES *et al*
- Barton SGRG** see Prasad P *et al*
- Bartram S** see Todhunter CE *et al*
- Basavarajaiah S** see Hayee BH *et al*
- Basavaraju KP** see Keshav S *et al*
- Bassi A** *et al*. Cost of illness of paediatric IBD, **A100**
- Bassi Z** see Bassi A *et al*
- Basu S** see Rao S *et al*
- Basumani P** *et al*. The natural history of bile acid malabsorption (BAM), **A106**
- Batchelor HK** see Tang M *et al*
- Bates CM** *et al*. The role of liver transplantation in the treatment of Wilson's disease, **A46**
- Baumgartner HK** *et al*. The intrinsic and extrinsic apoptotic pathways are rapidly activated in response to oxidative stress in pancreatic acinar cells, **A34**
- Baxter J** see Duane P *et al*
- Baxter JN** see Jenkins GJS *et al*
- Beales ILP** see Ogunwobi O and Beales ILP
- Bebb JR** *et al*. Long term follow up of coeliac disease: a patient questionnaire study, **A106**
- Beech G** see Sreedharan A *et al*
- Bell GD** see Cameron EAB *et al*
 see Hancock J *et al*
 see Heatley DJT *et al*
 see Mackiewicz M *et al*
 see Reynolds AP *et al*
 see Sheikh K *et al*
- Bell J** see Bose M *et al*
- Bennett AJ** see Shonde A *et al*
- Benyon RC** see Fallowfield JA *et al*
- Berens J** see Mackiewicz M *et al*
- Berthou C** see Maitra S *et al*
- Bertoletti A** see Kennedy PTF *et al*
- Besherdas K** see Aljabiri MR *et al*
- Bettani R** see Davies AHG *et al*
- Bhala N** see Newton JL *et al*
- Bharathi S** see Parker D *et al*
- Bhargava R** *et al*. Oesophageal stent insertion without fluoroscopic or endoscopic control: a retrospective audit, **A67**
- Bhattacharya KD** see Maitra S *et al*
- Bickerstaff J** see Wong R *et al*
- Bigio IJ** see Mackenzie GD *et al*
- Binnie J** see East JE *et al*
- Binnie JA** *et al*. Liver toxicity in parenteral nutrition: role of cyclical infusion, **A79**
- Bird GLA** see Baburajan BK *et al*
- Bird N** see Elphick DA *et al*
- Bisset M** see Russell RK *et al*
- Bjarnason I** see Maiden L *et al*
 see Saniabadi A *et al*
- Blackett K** see Furrie E *et al*
- Blackett RL** see Shah AJ *et al*
- Blackshaw G** see Stephens MR *et al*
- Blatchford O** see Taha AS *et al*
- Bliss P** see Rao S *et al*
- Bloor C** see Murray IA *et al*
- Blount K** see Bebb JR *et al*
- Bodger K** see Ahmad S *et al*
 see Bassi A *et al*
- Boesinger P** see Fox M *et al*
- Bolton R** see Leeds JS *et al*
- Bose M** *et al*. Extracolonic abnormalities found at virtual colonoscopy, **A77**
- Botha AJ** see Anggiansah R *et al*
- Boult JKR** *et al*. Regulation of the myc network in the progression to oesophageal adenocarcinoma, **A87**
- Bowden J** see Brooklyn TN *et al*
- Bowler L** see Cherian S *et al*
- Bowling T** see Foley SJ *et al*
 see Ishaq S *et al*
- Bown SG** see Casburn-Jones A *et al*
 see Mackenzie GD *et al*
 see Selvasekar CR *et al*
 see Wittmann J *et al*
- Bradgate M** see Shenoy AH *et al*
- Bradley MP** see Gleeson D *et al*
 see Welhengama C *et al*
- Brand J** see Ishaq S *et al*
- Brannigan A** see Lennon AM *et al*
- Bransom C** see Shah AJ *et al*
- Bredin F** see Tremelling M *et al*
 see Waller S *et al*
- Bremner AR** see Gordon JN *et al*
- Breton J** *et al*. Detection and characterisation of *tp53* mutations in tumours of the oesophagus and cardia from an area of high incidence (lower Normandy, France), **A86**
- Britt C** see Carty E *et al*
- Brittan M** see Bamba S *et al*
- Britten AJ** see Poullis A *et al*
- Bromfield A** see Chalmers-Watson TA *et al*
- Brookes M** see Sharma N *et al*
- Brookes MJ** *et al*. Endoscopic retrograde cholangiopancreatography training: the trainees perspective. A regional survey of gastroenterology trainees, **A72**
 The incidence, clinical presentation, and mortality associated with spontaneous bacterial peritonitis in a UK teaching hospital, **A38**
 see Laftah A *et al*
 see Sharma N *et al*
- Brooklyn T** see Thuraisingam AI *et al*
- Brooklyn TN** *et al*. Infliximab for the treatment of pyoderma gangrenosum: a randomised, double blind placebo controlled trial, **A23**
- Brooks A** see Banfield A *et al*
- Brough W** see Gasem J *et al*
- Brown C** see Cairns A *et al*

- Brown G** see Schofield G *et al*
Brown R see Lennon AM *et al*
Brown T see Duane P *et al*
Brummell Z see Griffiths EA *et al*
Buckley CD see Heydtmann M *et al*
 see Holt AP *et al*
Bullen TF *et al*. Shedding of human intestinal epithelial cells results in gaps in the epithelial monolayer, **A25**
Bullock AJ see Boulton JKR *et al*
Bunn RC see Leeds JS *et al*
Burke D see Probert C *et al*
Burke DA see Hearnshaw S and Burke DA
 see Shenderoy RL *et al*
Burke F see Direkze NC *et al*
Burroughs AK see Cholongitas E *et al*
 see Senzolo M *et al*
 see Stigliano R *et al*
Burt JA see Newton JL *et al*
Bury JP see Boulton JKR *et al*
Buscombe J see Shah T *et al*
Buscombe JR see Quigley AM *et al*
Butler M see Chaudhary R *et al*
 see van Heel DA *et al*
Butterworth JR see Moran G *et al*
Byrne SM see Doherty GA *et al*
- Cadden IS** *et al*. Cyclo-oxygenase-2 is a prognostic biomarker in mid-gut carcinoid tumours, **A58**
Cairns A *et al*. Impact of government guidelines on survival of patients with oesophageal carcinoma, **A55**
Cairns A see Littleford S *et al*
Cambridge V, Linehan JD Can nurse endoscopists sedate patients safely?, **A62**
Cameron EAB *et al*. Long term study of re-infection following successful eradication of *Helicobacter pylori* infection, **A9**
Campbell B see Subramanian S *et al*
Campbell BJ see Mpofo CM *et al*
Campbell E see Algladi T *et al*
Campbell F see Bullen TF *et al*
Campbell MJ see Boulton JKR *et al*
Campbell S see Barclay S *et al*
Campbell V see Karajeh MA *et al*
Canavan C *et al*. Mortality in Crohn's disease: no change in 34 years, **A3**
Caplin M see McStay M *et al*
 see Shah T *et al*
Caplin ME see Quigley AM *et al*
Caplin S see Duane P *et al*
Caras S see Mearin F *et al*
 see Monnikes H *et al*
Card TR see Tata LJ *et al*
 see West J *et al*
Carr RA see Gurusamy SK *et al*
Carroll D see Vieten D *et al*
Carter F see Mearin F *et al*
 see Monnikes H *et al*
Cartmill I see Radhakrishnan NV *et al*
Carty E *et al*. 2 week wait for upper GI cancer: are GPs getting the message?, **A113**
Casburn-Jones A *et al*. Six month audit of oesophageal dilatation—clinical practice and complications at University College London Hospitals NHS Trust, **A67**
Casey P see Bose M *et al*
Casson AG see Hardie LJ *et al*
Casson D see Bassi A *et al*
Cato-Addison W see Weaver SA *et al*
Caygill CPJ see Gatenby PAC *et al*
Cerbinskaite A see Atherfold PA *et al*
Chadwick M see Kausar A *et al*
Chalmers D see Olliver JR *et al*
Chalmers-Watson TA *et al*. Response of monocytes to MDP in Crohn's disease: effect of NOD2 mutations, **A1**
Chan A *et al*. Automatic clustering and classification of ambulatory oesophageal manometry waveforms, **A77**
Chang D see Kausar A *et al*
Chang L see Dunkley P *et al*
Chapman R see Tachtatzis P *et al*
Charnley R see Oppong K *et al*
Charnley RM see Ramakrishnan S *et al*
Chatha H see Bhargava R *et al*
Chaudhary R *et al*. Comparison of DePispher with annexin-V in quantifying apoptosis induced by infliximab, etanercept, and adalimumab in CD4+ T cells and peripheral blood mononuclear cells, **A2**
 Inhibition of proliferation of stimulated peripheral blood mononuclear cells by different anti-TNF therapies, **A99**
Chaudhury BK see Maitra S *et al*
Chavele KM see Walters JRF *et al*
Cheng KK see Oo YH *et al*
Cherian S *et al*. Factors associated with greater likelihood of gastrointestinal malignancy in patients with iron deficiency anaemia: results of a prospective study, **A58**
 see Bhargava R *et al*
Cherkas L see Mohammed I *et al*
Cherrington A *et al*. MRSA carrier status predicts a high risk of infection after PEG insertion: results from a large prospective audit, **A13**
Cheung WY see Durai D *et al*
Chew TS see Elphick DA *et al*
Chiam PS *et al*. Corticosteroid resistance and dependence in IBD: analysis of 5 year inception cohort, **A100**
Cholongitas E *et al*. Survival at six weeks of cirrhotic patients admitted to an intensive care unit, **A21**
 Transjugular liver biopsy: is it effective for accurate histological interpretation?, **A26**
 see Senzolo M *et al*
Chow WH see Smith MG *et al*
Chunfat A see Williams L *et al*
Ciclitira PJ see Dewar DH *et al*
Claridge A *et al*. Do benign looking gastric ulcers need follow up endoscopy and biopsy?, **A66**
Clark B see Mackenzie GD *et al*
Clark BR see Selvasekar CR *et al*
Clark S see Fullard M *et al*
Clarke A see Sonwalker S *et al*
Clarke P see Hebbbar S *et al*
Clemo N see Glancy DG *et al*
Colby JM see Cooper SC *et al*
Cole AT see Rye KA *et al*
Coleman N see Unitt E *et al*
Coletta PL see Wilson JM *et al*
Colombel J-F see Ghosh S *et al*
Constable GL see Shenoy AH *et al*
Constandinou CM see Fallowfield JA *et al*
Cook MB *et al*. A systematic review and meta-analysis of the sex ratio for Barrett's oesophagus, erosive reflux disease and non-erosive reflux disease, **A53**
Cook VJ see Reynolds AP *et al*
Cooper BT see Sharma N *et al*
Cooper P see Jones HP *et al*
Cooper SC, Wilson PG Endoscopic ultrasound: a developing service at city hospital, the first 100 cases, **A70**
Cooper SC *et al*. Specialist registrars in the UK have suboptimal training in clinical nutrition, **A36**
Coppell J see Senzolo M *et al*
Corfield AP see Vieten D *et al*
Cowan M see Olliver JR *et al*
Cowan ML *et al*. The influence of CD-14 polymorphisms on hepatic fibrosis in chronic hepatitis C infection, **A44**
Crabb A see Casburn-Jones A *et al*
Crabtree J see Robins G *et al*
Crabtree JE see Du Y *et al*
 see Jeremy AHT *et al*
Cramp ME see Houldsworth A *et al*
 see Metzner M *et al*
Croft NM see Dogra H *et al*
 see Sawczenko A *et al*
Cronin J see Jenkins GJS *et al*
Crosbie J see Ramakrishnan S *et al*
Cross SS see Hurlstone DP *et al*
Crowthier D see Elphick DA *et al*
Crozier A see McLernon D *et al*
Cullen DJE see Pearce CB *et al*
Cullen SN *et al*. Treatment of haemorrhagic radiation induced proctitis using topical formalin instillation, **A13**

- Cummings F** see Ahmad T *et al*
Cummings JH see Furrrie E *et al*
 see Kong SC *et al*
Cummings JRF *et al*. Genotype-phenotype analyses of the IBD susceptibility gene DLG5, **A95**
Cunliffe W see Barbour J *et al*
- Da Costa M** see Lim SG *et al*
Dahele A *et al*. Methotrexate therapy for IBD—do trial data translate into clinical practice?, **A92**
Dallal H see Sen S *et al*
Dalton HR see Murray IA *et al*
 see Peiris R *et al*
Daly AK see Todhunter CE *et al*
Dalzell AM see Bassi A *et al*
Damodharan K *et al*. Audit of outcome of outpatient referrals of asymptomatic patients with mildly abnormal alanine aminotransferase levels, **A108**
Danjo K see Du Y *et al*
Daperno M see Ahmad T *et al*
Dar A see Syed T *et al*
Dar S see Peiris R *et al*
Dare C see Talwar A *et al*
Darnton SJ see Hardie LJ *et al*
Darzi A see Bailey C *et al*
Das L see Yeoman AD *et al*
Dave U see Duane P *et al*
Davidson B see Stigliano R *et al*
Davidson BR see Habib MM *et al*
 see Rubio Pinedo I *et al*
 see Sheth H *et al*
Davidson JS see Bates CM *et al*
Davidson KA see Cooper SC *et al*
Davies AHG *et al*. Development of a disease specific quality of life score questionnaire for patients with gastrointestinal neuroendocrine tumours, **A50**
Davies K see East JE *et al*
Davies N see Stigliano R *et al*
Davies S see Mackenzie GD *et al*
 see Unitt E *et al*
Davis K *et al*. Pelvic floor syndrome: definition and assessment of a clinical entity, **A81**
 see Evans C *et al*
Davison C see Rees CJ *et al*
Dawood R see Rees IW *et al*
Dawson B see Basumani P *et al*
Dawson P see Ferguson JW *et al*
De Giorgio R see Foley SJ *et al*
de la Iglesia B see Reynolds AP *et al*
 see Sheikh K *et al*
De Silva HJ see Ferdinandis TGHC *et al*
Deacon A see East JE *et al*
Deakin M see Leeds JS *et al*
 see Maharaj G *et al*
 see Turner P and Deakin M
Dearden JC *et al*. The nurse led dyspepsia clinic: does it work?, **A114**
DeCruz P *et al*. Use of propofol sedation for ERCP in the elderly population: an Australian district unit experience, **A63**
Deen KI see Ferdinandis TGHC *et al*
 see Fernando EDPS and Deen KI
 see Wijesuriya SRE *et al*
Delaney C see Willert RP *et al*
Delaney CM see Matthews PJ *et al*
Delicata RJ see Shah AJ *et al*
Demaine AG see Houldsworth A *et al*
 see Metzner M *et al*
Demoncheaux EAG see Elphick DA *et al*
Despott E see Murray IA *et al*
Dettmar PW see Tang M *et al*
Devlin J see Zakaria N *et al*
Dew MJ see Yeoman AD *et al*
Dewar D see Fraser JS *et al*
Dewar DH *et al*. High prevalence of abnormal duodenal histology in asymptomatic coeliac patients, **A106**
Dexter S see Olliver JR *et al*
Dhillon A see McStay M *et al*
 see Shah T *et al*
Dhillon AP see Cholongitas E *et al*
Di Nardo G see Foley SJ *et al*
Dias AS *et al*. Day case liver biopsies are safe in patients with suspected malignant disease, **A114**
Dickinson RJ see Lock C *et al*
Dieleman LA see Moodie FM *et al*
Dillon JF see Macfarlane S *et al*
 see McLernon D *et al*
Dimaline R see Duckworth CA *et al*
Direkze NC *et al*. Bone marrow contributes to functionally active cells in tumour stroma, **A24**
Dixon MF see Jeremy AHT *et al*
Doak SH see Jenkins GJS *et al*
Dockray G see Ahmad S *et al*
Dogra H *et al*. Luminal regulation of intestinal epithelial stem cell fate, **A78**
Doherty GA *et al*. A mechanism for cyclooxygenase-2 mediated regulation of apoptosis in colorectal cancer cells; the role of DRAK2, a death associated protein kinase, **A56**
Doig L *et al*. Large series prospective experience with EUS for post-chemotherapy staging of oesophageal cancer. Time to answer the question of clinical value, **A57**
 see Vu C *et al*
Doig LA see Meenan J *et al*
Donaghy R see Lynch PM *et al*
Donaldson PT see Barbour J *et al*
 see Todhunter CE *et al*
Donnan PT see McLernon D *et al*
Donnellan CF *et al*. Application of competitive microarrays to assess gene expression in an oesophageal cell line after acid exposure: highlighting quality control issues, **A88**
 see Sreedharan A *et al*
Donnelly MT see Arasaradnam RP *et al*
 see Sidhu R *et al*
Douis H see Brookes MJ *et al*
Drew KD see Hurlstone DP *et al*
Drummond H see Chiam PS *et al*
 see Noble CL *et al*
 see Russell RK *et al*
Drummond HE see Aldhous MC *et al*
Du Y *et al*. *Helicobacter pylori* stimulated epithelial ERK phosphorylation is reduced by the specific EGFR inhibitor EKB-569, **A56**
 see Jeremy AHT *et al*
Duane P *et al*. Does completing the audit cycle improve colonoscopy results?, **A75**
Dubois P see Aljabiri M *et al*
 see Aljabiri MR *et al*
Dubois R see Zakaria N *et al*
Duckworth CA *et al*. Hypergastrinaemia reduces the severity of dextran sulphate sodium induced colitis and 5-fluorouracil induced mucositis in mice, **A98**
Dudley T see Heydtmann M *et al*
Duffield JS see Fallowfield JA *et al*
Duncan A see Gaya DR *et al*
Duncan HD see Pearce CB *et al*
Duncan J see Sheth H *et al*
Dunkley P *et al*. Imaging the neural correlates of visceral and somatic pain in the brainstem, **A19**
Dunkley I see Lock C *et al*
Dunnill G see Brooklyn TN *et al*
Durai D *et al*. What is the clinical effectiveness of endoscopy undertaken by nurses? Multi-institution nurse endoscopy trial (MINuET) - ISRCTN 82765705, **A21**
Dürner MB see Elphick DA *et al*
Dusheiko G see Kennedy PTF *et al*
Dwarakarnath D see Barbour J *et al*
- East JE** *et al*. Copper and nickel status in acutely ill patients before and during parenteral nutrition, **A81**
 Manganese and chromium status in patients before, during, and after parenteral nutritional support, **A80**
 Selenium and aluminium status in patients before, during, and after parenteral nutritional support, **A80**
Eastwood JB see Neil AK *et al*
Ede RJ see Hughes SA and Ede RJ
Edwards G see Ong J *et al*
Edwards P see Stephens MR *et al*

- Edwards SJ** see Leeds JS *et al*
Edwards SW see Mpopfu CM *et al*
Egan M see Oppong K *et al*
Eggo MC see Ramasamy S *et al*
Eklund S see Labenz J *et al*
El Fakhry A see Shihha G *et al*
El-Omar E see Avilés F *et al*
El-Omar EM see Argent RH *et al*
 see Smith MG *et al*
Elamin K see Sheikh K *et al*
Elder JB see Maharaj G *et al*
Elders A see Gordon C *et al*
Ellis R see McPherson S *et al*
Elphick DA *et al*. Small bowel bacterial overgrowth in symptomatic older people: is empirical antibiotic treatment justified?, **A103**
 Whole body endogenous nitric oxide production in patients with decompensated liver disease, **A42**
Emmanuel AV see Murray CDR *et al*
Enaganti S see East JE *et al*
Epstein O see Bose M *et al*
 see Dearden JC *et al*
Evans C *et al*. The long term functional outcome of overlapping anal sphincter repair and anterior levatorplasty, **A82**
Evans DF see Seward EW *et al*
Everett SM see Donnellan CF *et al*

Fairhurst M see Dunckley P *et al*
Falconi M see Davies AHG *et al*
Fallowfield JA *et al*. Depletion of scar associated macrophages removes the key source of collagenolytic MMP-13 and critically affects spontaneous recovery of liver fibrosis, **A86**
Farhadi RV see Russell RK *et al*
Faroq R see Rubio Pinedo I *et al*
Farrin A see Durai D *et al*
Farrington CP see Tata LJ *et al*
Farrow R see Murray IA *et al*
Farrugia M see Dias AS *et al*
Farthing MJG see Zulu I *et al*
Fennel J see Dachele A *et al*
Ferdinandis TGHC *et al*. Use of oesophageal manometry as a diagnostic tool in Sri Lanka, **A77**
Ferguson J see Griffin SP *et al*
 see Hansen S *et al*
Ferguson JW *et al*. Hyperfibrinolysis in cirrhosis: the role of relative plasminogen-activator-inhibitor type 1 deficiency, **A8**
Fernando EDPS, Deen KI The ileo-caecal valve: morphology and manometry suggest a combined flap valve and physiological sphincter, **A116**
Fielding JW see van Dellen D *et al*
Filer A see Holt AP *et al*
Fine DR see Weaver SA *et al*
Finlay IG see Muhtaseb MS *et al*
Fisher M see Mackiewicz M *et al*
Fisher S see Onnie C *et al*
Fite A see Furrrie E *et al*
FitzGerald AJ *et al*. Reparative properties of a commercial fish protein hydrolysate preparation, **A5**
Fitzgerald AJ see Mahmood A *et al*
Fitzgerald DJ see Doherty GA *et al*
Fitzgerald R see Lao-Sirieix P *et al*
Fitzgerald RC see Rees JRE *et al*
Fleissner C see Davies AHG *et al*
Flower PA see Hughes S *et al*
Flynn C see Sreedharan A *et al*
Fogg M see Sidhu R *et al*
Foldager M see Probert C *et al*
Foley SJ *et al*. Intractable vomiting due to gastric neuropathy, **A31**
Forbes A see Brooklyn TN *et al*
 see Ladeira I *et al*
 see Lindsay JO *et al*
 see Marks D *et al*
 see Onnie C *et al*
 see Probert C *et al*
 see van Heel DA *et al*
Ford AC *et al*. Ten year follow-up of a community screening and treatment programme for *H pylori*, **A60**
Ford J see Probert C *et al*

Forman D see Cook MB *et al*
 see Ford AC *et al*
 see Robins G *et al*
Forrest E see McAvoy NC *et al*
Forrest EH see McMahon M *et al*
Forshaw MJ *et al*. Endoscopic alternatives to dilatation in the management of anastomotic strictures of the colon and rectum, **A82**
Forshaw MJ see Sankararajah D *et al*
Forton DM see Galletly NP *et al*
Fortun P *et al*. Enhanced magnification endoscopy in Barrett's oesophagus, **A12**
 see Ragunath K *et al*
Fortun PJ see Tata LJ *et al*
Foster DN see Radhakrishnan NV *et al*
Foster P see Gasem J *et al*
Foulis AK see Muhtaseb MS *et al*
Fowler L see Hancock J *et al*
Fox M *et al*. The determinants of anorectal sensation and continence in healthy, continent subjects, **A83**
 The effect of tegaserod on oesophageal function: a randomised control trial in healthy volunteers, **A51**
 The effects of posture on gastric emptying: a magnetic resonance imaging study, **A22**
Fox M see Anggiansah A *et al*
 see Anggiansah R *et al*
 see Lee JTM *et al*
Fox R see Barclay S *et al*
Foxwell BMJ see van Heel DA *et al*
Frame A see Rees CJ *et al*
Francis R see Gleeson D *et al*
Francis RM see Todhunter CE *et al*
Fraser A see Vijayan B *et al*
Fraser C see Man RFS *et al*
 see Schofield G *et al*
 see Suzuki M *et al*
Fraser JS *et al*. The referral pattern for endoscopic ultrasound of a district general hospital and impact on ERCP, **A70**
 see Dewar DH *et al*
Fraumeni Jr JF see Smith MG *et al*
Frenz M see Cullen SN *et al*
Freshwater DA see Heydtmann M *et al*
Frew C see Barclay S *et al*
Fried M see Fox M *et al*
Friend L see Davies AHG *et al*
Frow R see Shah T *et al*
Fryer A see Jones HP *et al*
Fullard M *et al*. Increasing burden of liver disease: hospital admission rates in England, 1989/90–2002/03, **A35**
Fuller B see Sheth H *et al*
Furrrie E *et al*. Prevalence of virulence genes is increased in mucosal populations of *Enterococcus faecalis* in ulcerative colitis, **A1**
 see Kong SC *et al*
 see Macfarlane S *et al*
Fyfe V see Hansen S *et al*

Gabe SM see Ladeira I *et al*
Galletly NP *et al*. A retrospective review of upper GI endoscopy following bone marrow transplantation, **A66**
 Sedation for endoscopy: bigger syringe, smaller dose, **A63**
Gane J see Poullis A *et al*
Gasem J, Roche E An unusual fatal case of "irritable bowel syndrome", **A31**
Gasem J *et al*. An unusual cause of ascites in a patient with alcohol liver disease, **A30**
 Long term follow up of patients with common bile duct stones managed with biliary stenting in a district general hospital, **A33**
Gatenby PAC *et al*. Impact of treatment on Barrett's cancer incidence, **A52**
Gaya DR *et al*. Faecal calprotectin: a non-invasive, sensitive, and objective method in the assessment of Crohn's disease activity, **A90**
Gearty J see Khan I *et al*
Geboes K see Shetty G *et al*
Gedling P see Tachtatzis P *et al*
Gellion C see Gleeson D *et al*
Gent C see Hopper AN *et al*
 see Stephens MR *et al*
George AT *et al*. Choledochal cysts in adults, **A39**

- George DK** see Saleem A *et al*
George R see Radhakrishnan NV *et al*
 see Shenoy AH *et al*
Geraghty JM see Shenoy AH *et al*
Gerashimenko OV see Baumgartner HK *et al*
Getliffe KM *et al*. Decreased telomeric repeat binding factor 2 (TRF2) expression in resting peripheral blood lymphocytes in ulcerative colitis, **A17**
Ghatei M see Murray CDR *et al*
Ghosh S *et al*. Maintenance therapy with natalizumab improves quality of life in patients with Crohn's disease, **A23**
 see Akbar A *et al*
 see Chaudhary R *et al*
 see FitzGerald AJ *et al*
 see Hunt KA *et al*
 see Mahmood A *et al*
 see Shah AJ *et al*
 see van Heel DA *et al*
Gibbons AH see Lock C *et al*
Gilby LJ see Yearsley KA *et al*
Gillett PM see Russell RK *et al*
Gillies CL *et al*. Risk of oesophageal cancer in achalasia cardia: a meta-analysis, **A116**
Gimson AE see Griffiths WJ *et al*
Giorgi A see Anderloni A *et al*
Glancy DG *et al*. Bag-1 expression in human rectal cancer and the effect of neo-adjuvant radiotherapy, **A26**
Glantzounis G see Sheth H *et al*
Gleeson D *et al*. Alcohol dependence severity in alcoholic liver disease: predictive value and comparison with heavy drinkers without liver disease, **A8**
 see Elphick DA *et al*
 see Welhengama C *et al*
Gleeson F see Lennon AM *et al*
Globe J see Chan A *et al*
Gobin P see Lindsay JO *et al*
Goddard AF see Stokes A and Goddard AF
Goddard WP see Bebb JR *et al*
Goel R *et al*. Use of infliximab in Crohn's disease: a district general hospital audit, **A109**
Goggin PM see Gordon JN *et al*
Goldenring JR see Wright NA and Goldenring JR
Goldin R see Bailey C *et al*
Goldstein D see Ho GT *et al*
Goldthorpe S see Ahmad T *et al*
 see van Heel DA *et al*
Golightly L see Morris AJ *et al*
Gong YY see Olliver JR *et al*
Goodlad RA *et al*. ZD6474 significantly reduces polyp burden in a mouse model of intestinal cancer, **A29**
 see Mandir N and Goodlad RA
Gopal ST see Arasaradnam RP *et al*
Gorard DA see Hayat JO *et al*
 see Johns EA *et al*
 see Kitiyakara T *et al*
Gordon C *et al*. Normalisation of lower oesophageal pH: an impossible goal in some patients with Barrett's oesophagus?, **A54**
 Time trends in hospital admissions and mortality due to peptic ulcer in Scotland 1991–2002, **A59**
 see Poullis A *et al*
Gordon JN *et al*. Long lived IgG plasma cells in the gut of patients with IBD, **A97**
 The thalidomide derivative CC-10004 inhibits MMP-3 production from lamina propria cells isolated from subjects with IBD, **A97**
Goto H see Smith MG *et al*
Grant A see Lees CW *et al*
Gray H see Ramakrishnan S *et al*
Greaves L see Preston SL *et al*
Greaves RR see Carty E *et al*
Greco S see Parente F *et al*
Green J see Taneja R *et al*
Greenfield S see Rashid M *et al*
 see Waller S *et al*
Greenwood R see Brooklyn TN *et al*
Gregory H see Phull PS *et al*
Grellier L see Gupta S *et al*
Griffin M see Ramakrishnan S *et al*
Griffin SP *et al*. Budd-Chiari in Edinburgh: 27 years' experience, **A49**
Griffiths AP see Jenkins GJS *et al*
Griffiths CE see Brooklyn TN *et al*
Griffiths EA *et al*. Circumferential resection margin involvement is a poor prognostic factor in oesophageal malignancy, **A55**
 Is tumour length a prognostic factor in resected oesophageal malignancy?, **A55**
Griffiths WJ *et al*. Simple non-invasive criteria predict the presence of oesophageal varices in hepatitis C cirrhosis, **A34**
Griffiths WJH *et al*. Reactivation of herpes simplex virus after orthotopic liver transplantation, **A44**
Grimble GK see Ladeira I *et al*
Grimley CEF see Musa M and Grimley CEF
Grundy D see Kalia N *et al*
Gunson BK see Oo YH *et al*
Gupta S *et al*. Factors affecting non-attendance in new gastroenterology outpatient referrals, **A113**
 Upper gastrointestinal endoscopy patient satisfaction survey, **A112**
Gurusamy SK *et al*. Audit of pathologist performance in colorectal cancer reporting following implementation of a specialised GI pathology service in the DGH setting, **A85**
Habib MM *et al*. Regeneration of the ischaemic liver remnant and effect of glycine, **A45**
 Transient ischaemia and reperfusion impairs early regenerative response in the hepatic remnant, **A45**
Hadjivassiliou M see Leeds JS *et al*
Hafez T see Sheth H *et al*
Hallisey MT see van Dellen D *et al*
Halsall S *et al*. Gastroscopy negative melaena: is further investigation justified? A retrospective review, **A68**
Hamid R *et al*. Relation between albumin synthesis, serum albumin levels, and systemic inflammation in patients with decompensated liver disease, **A6**
Hampe J see Onnie C *et al*
Hampele I see Fox M *et al*
Han S see Gaya DR *et al*
Hanai H *et al*. Increased circulating anti- and pro-inflammatory cytokines during active disease in patients with ulcerative colitis, normalised following adsorptive granulocyte and monocyte apheresis, **A85**
 see Saniabadi A *et al*
Hanauer SB *et al*. Efficacy and safety of mesalazine 4.8 g/day (800 mg tablet) compared with 2.4 g/day (400 mg tablet) in treating moderately active ulcerative colitis: Ascend ii Study, **A3**
Hancock J *et al*. Could capnography play any useful role in monitoring sedated patients on an endoscopy unit?, **A64**
 Variable stiffness colonoscopes are a disadvantage in male patients irrespective of their body mass index, **A75**
Hanison J see Worthen SF *et al*
Hansen S *et al*. Gastric phenotype associated with cardia cancer indicates dual aetiology, **A37**
Haqqani MTMT see Kapoor N *et al*
Harbord M see Marks D *et al*
Hardcastle J see Kalia N *et al*
Hardie D see Heydtmann M *et al*
Hardie LJ *et al*. The tissue inhibitor of metalloproteinase-3 gene is methylated during oesophageal adenocarcinoma development: loss of protein expression correlates with poor prognosis, **A55**
Hardie LJ see Donnellan CF *et al*
 see Olliver JR *et al*
 see Sturmey RG *et al*
Hargest R see Shah AJ *et al*
Harris A see Hayee BH *et al*
Harris AW see Hayee BH and Harris AW
 see Hayee BH *et al*
 see McLaughlin SD and Harris AW
Harris K see Olliver JR *et al*
Harrison R see Shendery RL *et al*
Hart CA see Mpofu CM *et al*
Hartley ICR see Neil AK *et al*
Harvey RJ see Binnie JA *et al*
 see East JE *et al*
Hassan K see Russell RK *et al*
Hatfield ARW see Webster GJM *et al*
Hattersley M see Weaver SA *et al*

- Hawkey C** *et al.* Reduced gastric and duodenal ulcer incidence with esomeprazole in at-risk patients taking continuous NSAID therapy, **A9**
see Fortun P *et al*
- Hawkey CJ** see Algladi T *et al*
see James MW *et al*
see Ragnath K *et al*
see Shonde A *et al*
see Tata LJ *et al*
- Hayat JO** *et al.* Liver function test patterns in obstructive jaundice, **A39**
- Haydon G** see Thorburn D *et al*
- Hayee BH, Harris AW** Impact of the European Working Time Directive on specialist training and experience, **A107**
- Hayee BH** *et al.* Guided primary care management of IBD, **A107**
Waiting list validation for screening and surveillance colonoscopy, **A74**
- Hayes N** see Ramakrishnan S *et al*
- Hayes PC** see Ferguson JW *et al*
see Griffin SP *et al*
see McAvoy NC *et al*
- Haylett KR** see Chan A *et al*
- Hearnshaw S, Burke DA** Under performing or under funding? a survey of practice in upper gastrointestinal bleeding, **A68**
- Heatley DJT** *et al.* The networking capabilities of a laptop based 3d dicom viewer to facilitate multi site MDTs, **A76**
- Hebbar S** *et al.* Managing the queue for in-hospital endoscopy: must inpatients be patient?, **A27**
- Hebden JM** see Claridge A *et al*
see Halsall S *et al*
see Lea R *et al*
- Heenan S** see Poullis A *et al*
- Hegarty DL** see Heatley DJT *et al*
- Helmy A** see Ferguson JW *et al*
- Henson S** see East JE *et al*
- Heron T** *et al.* Microscopic colitis in Tayside: clinical features, associations, and behaviour, **A84**
- Herrlinger KR** see Cummings JRF *et al*
- Hershman MJ** see Bullen TF *et al*
- Heydtmann M** *et al.* CCR7⁺ memory CD8 T cells in normal and chronic hepatitis C infected liver, **A45**
Viral kinetics in patients treated with pegylated interferon- α 2b for recurrent hepatitis C after orthotopic liver transplantation, **A41**
- Higenbottam TW** see Elphick DA *et al*
- Higgins GE** see Elphick DA *et al*
- Higham A** see Cairns A *et al*
- Higham SE** see Elphick DA *et al*
- Hill D** see Cherrington A *et al*
- Hillyard S, Linehan JD** Current mortality data for patients with an upper GI bleed. Has anything changed since rockall?, **A62**
- Hilson AJW** see Quigley AM *et al*
- Hirayama K** see Hanai H *et al*
- Ho GT** *et al.* Specific haplotypic variations of the multidrug resistance 1 (ABCB1/MDR1) gene are associated with susceptibility or resistance to ulcerative colitis, **A38**
see Chiam PS *et al*
- Hobden P** see Duncley P *et al*
- Hobson AR** see Matthews PJ *et al*
see Willert RP *et al*
see Worthen SF *et al*
- Hochhauser D** see Shah T *et al*
- Hodgson H** see Saich RC *et al*
- Hodgson HFJ** see Habib MM *et al*
- Hodivala-Dilke K** see Direkze NC *et al*
- Hodzovic I** see Stephens MR *et al*
- Holbrook IB** see Parker D *et al*
- Hold GL** see Smith MG *et al*
- Holloway P** see Arnold JD *et al*
- Holt AP** *et al.* Hepatic stellate cells modulate the switch from acute to chronic inflammation by promoting lymphocyte recruitment, retention, and survival, **A86**
- Hope ME** see Smith MG *et al*
- Hopper AD** *et al.* Is routine duodenal biopsy essential to stop coeliac disease being missed at gastroscopy?, **A105**
The diagnostic accuracy of capsule endoscopy in coeliac disease: a blinded pilot study, **A105**
- Hopper AD** see Leeds JS *et al*
- Hopper AN** *et al.* Information needs of patients with oesophagogastric cancer, **A35**
Outcome of repeat OGD to ensure complete gastric ulcer healing, **A11**
see Stephens MR *et al*
- Horgan AF** see Mulchandani M *et al*
- Höroldt BS** see Sidhu R *et al*
- Houghton LA** see Atkinson W *et al*
see Jones HP *et al*
see Monnikes H *et al*
- Houldsworth A** *et al.* CD81 sequence and susceptibility to HCV infection, **A47**
see Metzner M *et al*
- Howell J** see Gaya DR *et al*
- Howie SE** see Lees CW *et al*
- Hubbard R** see West J *et al*
- Hubbard RB** see Tata LJ *et al*
- Hübscher S** see Heydtmann M *et al*
- Hubscher S** see Thurairajah P *et al*
- Hudson M** see Ramakrishnan S *et al*
see Parr J and Hudson M
see Ramakrishnan S and Hudson M
- Hudspith B** see Khatab KM *et al*
- Hughes S** *et al.* Angioectasia of the small intestine—new insights from capsule endoscopy, **A69**
see Laftah A *et al*
- Hughes SA, Ede RJ** Evaluation of treatment for achalasia in a district general hospital 1990–2004, **A53**
- Hull MA** see Wilson JM *et al*
- Hunt CR** see Keshav S *et al*
- Hunt FT** see Direkze NC *et al*
- Hunt KA** *et al.* A common CTLA4 haplotype associated with coeliac disease, **A37**
see van Heel DA *et al*
- Hunter J** see Tremelling M *et al*
see Waller S *et al*
- Hurlstone DP** *et al.* 20 MHz high frequency endoscopic ultrasound assisted endoscopic mucosal resection: a prospective analysis of colorectal submucosal lesions, **A33**
High magnification chromoscopic colonoscopy or high frequency 20 MHz miniprobe EUS staging for early colorectal neoplasia: a comparative prospective analysis?, **A12**
Preoperative high frequency miniprobe EUS of colorectal neoplasia: is management modified?, **A16**
see Hopper AD *et al*
see Karajeh MA *et al*
see Leeds JS *et al*
- Hussaini SH** see Murray IA *et al*
see Peiris R *et al*
- Hutchinson J** see Williams L *et al*
- Hyland JM** see Lennon AM *et al*
- Idestrom M** see Sawczenko A *et al*
- Iida T** see Hanai H *et al*
- Ilesley I** see Banfield A *et al*
- Iqbal SJ** see Rakshit RC *et al*
- Iqbal T** see Laftah A *et al*
- Iqbal TH** see Sharma N *et al*
- Iredale JP** see Fallowfield JA *et al*
- Irving PM** see Makins RJ *et al*
- Irwin AG** see Poullis A *et al*
- Isaac J** see Lim SG *et al*
- Ishaq S** *et al.* Prospective analysis of 30 days complication rate after outpatient upper gastrointestinal endoscopy, **A65**
- Iwaaka Y** see Hanai H *et al*
- Iyer H** see Moran G *et al*
- Jackson JE** see Akbar A *et al*
- Jackson L** see Bose M *et al*
- Jackson W** see Smith LA *et al*
- Jacob M** see George AT *et al*
- Jain RK** see Mulchandani M *et al*
- Jain V** see Bhargava R *et al*
- Jalil S** see Arasaradnam RP *et al*
- James D** see Shenoy AH *et al*
- James G** see Leeds JS *et al*
- James L** see Hebbar S *et al*
see Somasekar A *et al*

- James MW** *et al.* *Helicobacter pylori* reduces biopsy induced mucosal damage with acute naproxen in healthy volunteers, **A61**
Acute effect of naproxen on the inflammatory cell infiltrate in *H pylori* infected volunteers, **A10**
- Jamieson C** see Mackiewicz M *et al*
- Jamieson CP** see Sheikh K *et al*
- Jamieson NF** see Mackenzie GD *et al*
- Jankowski JA** see Preston SL *et al*
- Jankowski JAZ** see Atherfold PA *et al*
see Koss K *et al*
- Jaques B** see Oppong K *et al*
- Jawhari A** see Watson NFS *et al*
- Jeffery R** see Direkze NC *et al*
- Jellun E** see Hansen S *et al*
- Jenkins DG** see Mawdsley JE *et al*
- Jenkins GJS** *et al.* NF- κ B activation by bile acids: the influence of acidity, **A87**
- Jenkins JR** see McNamara AV *et al*
- Jenkins M** see Tachtatzis P *et al*
- Jeremy AHT** *et al.* Prophylactic vaccination against *Helicobacter pylori* in the Mongolian gerbil, **A36**
see Du Y *et al*
- Jethwa P** *et al.* A role for discs large tumour suppressor protein in Barrett's metaplasia, **A88**
A role for EMT regulators in oesophageal adenocarcinoma, **A24**
see van Dellen D *et al*
- Jewell DP** see Ahmad T *et al*
see Cummings JRF *et al*
see Hunt KA *et al*
see van Heel DA *et al*
- Johns EA** *et al.* 90% caecal intubation rate: what happens to the other 10%?, **A76**
- Johns T** see Pearce CB *et al*
- Johnson K** see Mackenzie GD *et al*
- Johnson MW** see Dewar DH *et al*
- Johnston BT** see Cadden IS *et al*
- Johnston D** see Thuraisingam AI *et al*
- Johnston SD** see Lynch PM *et al*
- Jones BJM** see Menon S and Jones BJM
- Jones DEJ** see Newton JL *et al*
- Jones DRB** see Shah AJ *et al*
- Jones HP** *et al.* Modulation of gastric emptying using hypnotic suggestion in healthy volunteers, **A115**
- Jones J** see Gleeson D *et al*
see Welhengama C *et al*
- Jones L** see Davies AHG *et al*
- Jones R** see Hawkey C *et al*
see Sajjad A *et al*
- Joshi N** see Hamid R *et al*
- Kadis S** see Barbour J *et al*
see Damodharan K *et al*
see Kouklakis G *et al*
- Kaja R** see Bhargava R *et al*
- Kalam A** see George AT *et al*
- Kalia N** *et al.* The effects of bile acids on intestinal ion secretion in the *trichinella spiralis* infected mouse model of irritable bowel syndrome, **A78**
- Kalla R** see Karajeh MA *et al*
- Kaminski E** see Houldsworth A *et al*
see Metzner M *et al*
- Kamm MA** see Lindsay JO *et al*
- Kang JY** see Fullard M *et al*
see Gordon C *et al*
see Gupta S *et al*
see Neil AK *et al*
- Kanonga K** see Zulu I *et al*
- Kapoor N** *et al.* Endoscopic ablation of dysplastic Barrett's oesophagus comparing argon plasma coagulation and photodynamic therapy: long term results of a randomised prospective trial, **A33**
- Kapur K** see Karajeh MA *et al*
- Kar D** *et al.* A blinded comparison of a nurse and a doctor in the detection of capsule endoscopy abnormalities, **A69**
Capsule endoscopy: initial experience of 140 cases, **A4**
- Karajeh M** see Sidhu R *et al*
- Karajeh MA** *et al.* Evaluation of "prepress" CT virtual colonoscopy for detection of colorectal neoplasia in elderly patients: a feasibility study in a district general hospital, **A29**
Safety and effectiveness of colonoscopy in the elderly, **A74**
see Hurlstone DP *et al*
- Katellaris PH** see Labenz J *et al*
- Katz S** see Hanauer SB *et al*
- Kausar A** *et al.* Role of endoscopic ultrasound following normal ultrasound and/or magnetic resonance imaging in patients suspected of biliary calculus disease, **A72**
- Kaushik VY** see Kausar A *et al*
- Kay EW** see Doherty GA *et al*
- Kaye P** see Anagnostopoulos GK *et al*
see Fortun P *et al*
see Ragnauth K *et al*
- Keating J** see Cairns A *et al*
- Keegan D** see Lennon AM *et al*
- Keeling-Roberts CS** see Keshav S *et al*
- Keevil BG** see Atkinson W *et al*
- Kelly K** see Willert RP *et al*
- Kelly P** see Zulu I *et al*
- Kelly SM** see Moncur P and Kelly SM
see Parker D *et al*
see Rawcliffe P *et al*
see Rook L and Kelly SM
see Shores M *et al*
see Sonwalker S *et al*
- Kemp HF** see Jones HP *et al*
- Kendall C** see Shetty G *et al*
- Kennedy PTF** *et al.* HCV specific T cell response in sexual partners of HCV positive subjects, **A46**
see Zakaria N *et al*
- Kerr R** see DeCruz P *et al*
- Keshav S** *et al.* An unusual cause of back pain, **A32**
see Chalmers-Watson TA *et al*
- Khair U** see Walters JRF *et al*
- Khalil N** see Shiha G *et al*
- Khan AL** see Ahmad S *et al*
- Khan AN** see Shenoy AH *et al*
- Khan I** *et al.* Screening community subjects with frequent gastro-oesophageal reflux symptoms for risk of developing oesophageal adenocarcinoma: a pilot study, **A15**
- Khan K** see McStay M *et al*
- Khatib KM** *et al.* Nicotine inhibits TNF- α induced interleukin-8 (IL-8) production by HT29 colonic epithelial cell line, **A97**
- Kikuyama M** see Hanai H *et al*
- Kitching PA** see Barker S *et al*
- Kityakara T** *et al.* Is flexible sigmoidoscopy a useful investigation in iron deficiency anaemia without GI symptoms?, **A82**
- Knight SC** see Lindsay JO *et al*
- Knight T** see Bebb JR *et al*
- Knill-Jones RP** see Taha AS *et al*
- Kodjabashia K** see Li ACY *et al*
- Koller M** see Davies AHG *et al*
- Kondo K** see Hanai H *et al*
- Kong SC** *et al.* Regional variation of mRNA of hydrogen sulphide detoxification enzymes in the colon may predispose to ulcerative colitis, **A92**
- Koss K** *et al.* The potential use of faecal dimeric M2 pyruvate kinase (tumour M2-PK) in screening for colorectal cancer, **A20**
- Kostidis K** *et al.* ComH: purification of a unique *H pylori* protein, **A86**
- Kothari C** see Aljabiri M *et al*
- Kouklakis G** *et al.* Infliximab is not an effective treatment in patients with Crohn's disease and internal fistulae, **A91**
- Krasner N** see Kapoor N *et al*
- Krause G** see Mearin F *et al*
see Monnikes H *et al*
- Kruidenier L** see Dogra H *et al*
- Kubiak EM** see Yearsley KA *et al*
- Kumar BN** see Rao S *et al*
- Kumar D** see Davis K *et al*
see Evans C *et al*
- Kumar PJ** see Hunt KA *et al*
- Kurmani M** see Maitra S *et al*
- Kurvulla AP** see George AT *et al*
- Kwong K** see Cholongitas E *et al*

- Labenz J** *et al.* Esomeprazole and pantoprazole: a comparison for maintenance treatment of healed erosive oesophagitis, **A14**
- Ladeira I** *et al.* The relationship between Crohn's disease activity and whole-body RNA metabolism in adult patients, **A100**
- Laftah A** *et al.* A role for TNF- α in iron metabolism, **A5**
- Lai V** see Thuraiajah P *et al*
- Lalor PF** see Holt AP *et al*
- Lancashire RJ** see Oo YH *et al*
- Lang R** see Fallowfield JA *et al*
- Lang-Lenton M** *et al.* Which patients undergo colectomy for IBD?, **A101**
- Langman MJS** see Ramasamy S *et al*
- Langmead L** see Wong R *et al*
- Långström G** see Hawkey C *et al*
- Lao-Sirieix P** *et al.* Effect of acid suppression on the proliferation status of Barrett's oesophagus, **A14**
- Larkin C** see McConville P *et al*
- Larsson G** see Davies AHG *et al*
- Law L** see Hanauer SB *et al*
- Lawrance IC** see Pearce CB *et al*
- Lawson A** see Bebb JR *et al*
- Layte P** see Sidhu R *et al*
- Le Roux C** see Murray CDR *et al*
- Lea R** *et al.* Irritable bowel syndrome is rarely associated with small intestinal bacterial overgrowth in the UK, **A22**
see Claridge A *et al*
- Lean S** see Dias AS *et al*
- Leandro G** see Cholongitas E *et al*
- Lechevrel M** see Breton J *et al*
- Lee A** see Maitra S *et al*
- Lee CY** see Bamba S *et al*
- Lee HL** see Lim SG *et al*
- Lee JTM** *et al.* Patient satisfaction with pH studies: bravo capsule v nasoesophageal catheter system, **A78**
The effects of age on oesophageal motility and reflux severity, **A53**
- Leeds JS** *et al.* Dietician led follow up for adult coeliac disease: is it safe?, **A111**
Do glutamic acid decarboxylase antibodies predict development of other autoimmune diseases in patients with coeliac disease?, **A104**
Is there clinical relevance in testing patients with adult coeliac disease for thyroid dysfunction?, **A104**
The relation between adult coeliac disease and exocrine pancreatic insufficiency: 12 month follow up and intervention data, **A3**
see Hopper AD *et al*
- Lees CW** *et al.* Differential expression of hedgehog signalling components (Shh, Ihh, Ptc1, Gli1) along the length of the healthy adult colon, **A89**
- Lekaniti K** see Anagnostopoulos GK *et al*
- Lennon AM** *et al.* Proteomics: a new tool for screening for colon cancer?, **A20**
- Lennon JR** see Lennon AM *et al*
- Leontiadis GI** see Damodharan K *et al*
- Lessels AM** see Rajan JN *et al*
- Letley DP** see Argent RH *et al*
see Avilés F *et al*
- Levison SE, Banait GS** The sustained benefits of a dedicated endoscopy referral form for upper GI haemorrhage, **A114**
- Lewis A** see Hopper AD *et al*
- Lewis C** see Onnie C *et al*
- Lewis J** see Bebb JR *et al*
- Lewis WG** see Hopper AN *et al*
see Stephens MR *et al*
- Li ACY** *et al.* Immunolocalisation of the human duodenal ferric reductase Dcytb and its relationship to iron status in subjects with mild iron deficiency, **A103**
- Liddell C** see Gaya DR *et al*
- Lim SG** *et al.* Epidemiology of acute liver failure in Singapore, **A49**
- Lindsay JO** *et al.* Prebiotic fructo-oligosaccharide as a therapy for Crohn's disease: an open label trial, **A23**
- Linehan JD** see Barker S *et al*
see Cambridge V and Linehan JD
see Hillyard S and Linehan JD
- Linton-Willoughby L** see Binnie JA *et al*
see East JE *et al*
- Littleford S** *et al.* Assessing interobserver variation in the reporting of local peritoneal involvement in colon carcinoma, **A25**
- Loane J** see Chiam PS *et al*
- Loane JF** see Lees CW *et al*
- Lock C** *et al.* The patient's experience of centralisation of cancer care and the role of the specialist nurse: results of a preliminary survey, **A107**
- Lockhart SJ** see Atkinson W *et al*
- Loew CJ** see Hayat JO *et al*
- Lofberg R** see Saniabadi A *et al*
- Logan RFA** see Lang-Lenton M *et al*
see West J *et al*
- Long RG** see Bebb JR *et al*
- Lovat LB** see Casburn-Jones A *et al*
see Mackenzie GD *et al*
see Selvasekar CR *et al*
- Lowdell M** see Stigliano R *et al*
- Ludlam C** see Ferguson JW *et al*
- Lundberg A** see van Heel DA *et al*
- Lynch PM, Tham TCK** Endoscopic gastroplication for proton pump inhibitor refractory gastro-oesophageal reflux disease, **A68**
- Lynch PM** *et al.* Measurement of bone mineral density in coeliac disease: are the BSG Guidelines adequate?, **A104**
- Lyon TDB** see Gaya DR *et al*
- Lyth C** see Ishaq S *et al*
- MacArthur M** see Smith MG *et al*
- MacDonald TT** see Gordon JN *et al*
- Macey MG** see Mawdsley JE *et al*
- Macfarlane GT** see Furrrie E *et al*
see Kong SC *et al*
see Macfarlane S *et al*
- Macfarlane S** *et al.* Investigation of bacterial colonisation of the small bowel in patients with Barrett's oesophagus using 16S rRNA gene sequence analysis, **A52**
see Furrrie E *et al*
- Mackenzie GD** *et al.* Optical biopsy using elastic scattering spectroscopy can detect dysplasia and cancer in Barrett's oesophagus, **A15**
Photodynamic therapy with 5 aminolevulinic acid for high grade dysplasia in Barrett's oesophagus: long term follow up of 51 patients, **A15**
see Selvasekar CR *et al*
- Mackenzie JF** see Gaya DR *et al*
- Mackiewicz M** *et al.* Computational colour techniques can speed up the viewing of wireless capsule endoscopy images as well as determine gastric and intestinal transit times, **A10**
- MacNeil S** see Boulton JKR *et al*
- MacWhannel A** see Syed T *et al*
- Maharaj G** *et al.* Development of a model to investigate the role of toll-like receptors in *H pylori* induced apoptosis of gastric cancer cells, **A89**
- Mahdi G** see Russell RK *et al*
- Mahmood A** *et al.* Phase I/II trial of trefoil factor family 3 (TFF3) enema therapy with oral mesalazine for mild to moderate left-sided colitis, **A93**
- Maiden L** *et al.* Assessment of diclofenac induced small bowel damage by capsule enteroscopy, **A84**
- Maillard K** see Ahmad T *et al*
- Mair S** see Taha AS *et al*
- Maitra S** *et al.* Impact of a multidisciplinary IBD clinic in a district general hospital, **A107**
- Majeed A** see Fullard M *et al*
see Gordon C *et al*
- Makhijani J** see Thuraisingam AI *et al*
- Makhijani JH, Probert CS** A study of adverse events arising from azathioprine and 5-aminosalicylateco-prescription in IBD, **A93**
- Makin AJ** see Claridge A *et al*
see Halsall S *et al*
- Makins RJ** *et al.* Serum insulin like growth factor-II (IGF-II) is decreased in adults with active colitis independent of body mass index, **A91**
- Malik R** see Thomson A *et al*
- Mallick IH** *et al.* Effect of ischaemic preconditioning on the intestinal intracellular tissue oxygenation during ischaemia reperfusion injury of the intestine, **A103**
- Man RFS** *et al.* Nurse led flexible sigmoidoscopy surveillance for familial adenomatous polyposis is safe, reliable and effective, **A73**
- Manas D** see Oppong K *et al*
- Mandir N, Goodlad RA** Pure isomers of conjugated linoleic acid can reduce colonic tumour number but mixed isomers increase tumour size in a mouse model of intestinal cancer, **A56**
- Mandir N** see Goodlad RA *et al*

- Mann S** see Aljabiri M *et al*
see Aljabiri MR *et al*
- Manning JJ** *et al*. The effects of luminally generated nitric oxide on the resting tone of the human lower oesophageal sphincter in the fasting state, **A22**
- Manoj K** see Prasad P *et al*
- Mansfield J** see Onnie C *et al*
- Mansfield JC** see Barbour J *et al*
see Todhunter CE *et al*
- Mansfield S** see Ramakrishnan S *et al*
- Maphosa G** see Forshaw MJ *et al*
see Sankararajah D *et al*
- Mapstone N** see Cairns A *et al*
- Marchbank T** see FitzGerald AJ *et al*
- Marelli L** see Stigliano R *et al*
- Marks D** *et al*. Impaired acute inflammation in the terminal ileum of Crohn's patients, **A37**
- Marnay J** see Breton J *et al*
- Marshall A** see Unitt E *et al*
- Marshall L** see Kar D *et al*
- Marshall S** see Ahmad T *et al*
- Marteau P** see Probert C *et al*
- Maruthachalam K** see Mulchandani M *et al*
- Maruyama Y** see Hanai H *et al*
- Maskell G** see Murray IA *et al*
- Maskell GM** see Peiris R *et al*
- Mason B** see Basumani P *et al*
- Mason I** see Dearden JC *et al*
- Mason J** see Mohammed F *et al*
- Mason RC** see Anggiansah A *et al*
- Masson J** see Vijayan B *et al*
- Mathew C** see Onnie C *et al*
- Mathew CG** see Barbour J *et al*
see Todhunter CE *et al*
see van Heel DA *et al*
- Mathews J** see Rao S *et al*
- Mathews PJ** *et al*. Does repeated distal oesophageal acid exposure cause a progressive increase in proximal oesophageal sensitivity to electrical stimulation?, **A18**
- Mathewson K** see Ramakrishnan S *et al*
- Mawdsley JE** *et al*. Acute psychological stress increases platelet activation and platelet-leucocyte aggregate formation in patients with inactive ulcerative colitis, **A91**
Natural killer cell numbers are increased by stress and decreased by hypnotherapy in patients with ulcerative colitis, **A23**
- Mawdsley JED** see Makins RJ *et al*
- Maxton D** see Koss K *et al*
- Maxwell DJ** see Gupta S *et al*
- Maxwell JD** see Cowan ML *et al*
see Fullard M *et al*
see Gordon C *et al*
see Neil AK *et al*
- Maxwell-Armstrong C** see Watson NFS *et al*
- May C** see Rousseau N *et al*
- Mayberry J** see Canavan C *et al*
- Mayberry JF** see Gillies CL *et al*
see Rakshit RC *et al*
see Thomas T and Mayberry JF
- McAlindon ME** see Arasaradnam RP *et al*
see Hopper AD *et al*
see Hurlstone DP *et al*
see Kar D *et al*
see Leeds JS *et al*
- McAllister J** see Barclay S *et al*
- McAndrew P** see Karajeh MA *et al*
- McAvoy NC** *et al*. The Glasgow Alcoholic Hepatitis Score and the effect of pentoxifylline in alcoholic hepatitis, **A44**
- McCance DR** see Cadden IS *et al*
- McCloy RF** see Chan A *et al*
- McCole DC, Auld CD** The incidence of gastric polyps in patients attending for Barrett's surveillance, **A67**
- McCull E** see Rousseau N *et al*
- McCull KE** see Smith MG *et al*
- McCull KEL** see Hansen S *et al*
see Manning JJ *et al*
see Paterson S *et al*
see Winter J *et al*
- McConville P** *et al*. Is ERCP beneficial in patients with malignant biliary strictures plus liver metastases?, **A47**
- McCrudden E** see Barclay S *et al*
- McDonald SAC** see Preston SL *et al*
- McDonald V** see Zulu I *et al*
- McGinty A** see Cadden IS *et al*
- McGovern DPB** see Hunt KA *et al*
see van Heel DA *et al*
- McGrogan P** see Russell RK *et al*
- McIntyre AS** see Hayat JO *et al*
see Johns EA *et al*
see Kitiyakara T *et al*
- McIntyre P** see Rashid M *et al*
- McKaig BC** see Shetty S *et al*
- McKee RF** see Muhtaseb MS *et al*
- McKeown ES** *et al*. Post-infectious IBS occurs after non-gastrointestinal as well as intestinal infection, **A115**
Post-infectious IBS: prognostic data at 3 years, **A115**
- Mckie A** see Li ACY *et al*
- McLaughlin SD, Harris AW** The effect of Kent and Medway Dyspepsia guidelines on the demand for open access endoscopy, **A109**
- McLean M** see Smith MG *et al*
- McLeod S** see McLernon D *et al*
- McLernon D** *et al*. How safe is upper GI endoscopy?, **A64**
- McMahon M** *et al*. Does coexistent hepatitis C infection alter the outcome of acute alcoholic hepatitis?, **A41**
- McMahon RF** see Meaden C *et al*
- McMillan DC** see Hamid R *et al*
- McNamara AV** *et al*. Identification and characterisation of proteins interacting with eukaryotic DNA topoisomerase I, **A34**
- McNeil NI** see Arnold JD *et al*
- McPherson S** *et al*. Intravenous immunoglobulin in the treatment of severe *Clostridium difficile* diarrhoea, **A81**
- McStay M** *et al*. Expression of parathyroid hormone related protein and the PTH/PTHrP receptor in human pancreatic adenocarcinoma, **A59**
- Meaden C** *et al*. Causes of steatosis in chronic hepatitis C infection and the impact of steatosis on treatment response, **A43**
- Mearin F** *et al*. Cilansetron is efficacious in relieving bowel habit related symptoms in irritable bowel syndrome with diarrhoea predominance, **A18**
- Mee A** see Cullen SN *et al*
- Meenan J** *et al*. Feasibility of non-physician EUS staging of oesophageal cancer and its impact on the wider EUS service, **A110**
see Doig L *et al*
see Vu C *et al*
- Meier-Augenstein W** see Jones HP *et al*
- Melby K** see Hansen S *et al*
- Melley L** see Mahmood A *et al*
- Mendall MA** see Cowan ML *et al*
see Philipose Z *et al*
see Poullis A *et al*
- Menesy A** see Shiha G *et al*
- Menne D** see Fox M *et al*
- Menon S, Jones BJM** Post infective bile acid malabsorption: is it a long term condition?, **A4**
- Metcalf JV** see Thomas RC and Metcalf JV
- Metzner M** *et al*. HCV-specific cellular immune responses in subjects exposed to but uninfected by HCV, **A6**
- Metzner M** see Houldsworth A *et al*
- Michell NP** see Brookes MJ *et al*
- Middleton S** see Tremelling M *et al*
see Waller S *et al*
- Miedzybrodska Z** see Phull PS *et al*
- Milligan D** see Goel R *et al*
- Mills P** see Baburajan BK *et al*
- Mills PR** see Barclay S *et al*
- Minopoulos G** see Kouklakis G *et al*
- Mirza M** see Onnie C *et al*
- Moayyedi P** see Ford AC *et al*
- Mohammed F** *et al*. A new role for the nutrition nurse specialist—fluoroscopic guided insertion of nasojejunal tubes, **A79**
see Gasem J *et al*
- Mohammed I** *et al*. Are diet and physical activity risk factors for gastro-oesophageal reflux disease symptoms in discordant twins?, **A16**

- Mohammed I** see Ishaq S *et al*
see Khan I *et al*
- Mohan V, Vaishnavi A** Genetic haemochromatosis: diagnostic accuracy of a district general hospital coding, **A113**
- Mohsen A** see Lee JTM *et al*
- Molteni M** see Parente F *et al*
- Moncur P, Kelly SM** Increased plasma procollagen peptide predicts cirrhosis but not fibrosis on liver biopsy, **A46**
- Monnikes H** *et al.* Cilansetron demonstrated relief from abdominal pain/discomfort in IBS with diarrhoea predominance, **A115**
- Moodie FM** *et al.* P-glycoprotein and glucocorticoid receptor expression in HLA-B27 transgenic rat colon, **A2**
- Moody-Jones D** see Williams L *et al*
- Moore K** see Tiwari I *et al*
- Moorghen M** see Glancy DG *et al*
- Moran G** *et al.* The 2005 cancer waiting times target: will we ever hit the target for oesophagogastric cancer?, **A28**
- Morisco F** see Stigliano R *et al*
- Morley S** see Leeds JS *et al*
- Morris AI** see Thuraingam AI and Morris AI
- Morris AJ** *et al.* Esomeprazole 40 mg compared with omeprazole 20 mg for the healing and resolution of heartburn among patients with moderate to severe reflux oesophagitis: the progress study, **A14**
Prevalence of Barrett's oesophagus at diagnosis and after therapy of LA grade C and D reflux oesophagitis, **A66**
- Morris AJ** see Gaya DR *et al*
see McMahon M *et al*
- Morris D** see Rashid M *et al*
- Morris L** see Unitt E *et al*
- Moschos J** see Kouklakis G *et al*
- Moses R** see Kennedy PTF *et al*
- Mosse CA** see Mackenzie GD *et al*
see Selvasekar CR *et al*
- Mottershead M** *et al.* The portal circulation has the lowest ratio of acylated/total ghrelin in humans, **A38**
see Sajjad A *et al*
- Mowat C** see Heron T *et al*
see McLernon D *et al*
- Mowat NAG** see Smith MG *et al*
see Vijayan B *et al*
- Mpofu CM** *et al.* Microbial mannan suppresses killing of Crohn's disease mucosa-associated *E coli* by macrophages: a possible pathogenic mechanism for Crohn's disease, **A1**
- Mpoumponaris A** see Kouklakis G *et al*
- Muc RS** see Hardie LJ *et al*
- Mudaliar V** see Shetty S *et al*
- Mudawi S** see Zakaria N *et al*
- Muhtaseb MS** *et al.* Altered serum antioxidants after ileal pouch surgery: a comparative study, **A102**
- Mulcahy H** see Lennon AM *et al*
- Mulchandani M** *et al.* Direct access colonoscopy: a cost effective investigation for 2 week rule colorectal cancer referrals, **A112**
Direct access colonoscopy: a cost effective investigation for two week rule colorectal cancer referrals, **A20**
- Murdock A** *et al.* Do patients with reflux follow doctor's advice? A long term study of patients proton pump inhibitor usage following endoscopy, **A52**
see McConville P *et al*
- Murray CDR** *et al.* Khat (*Catha edulis*) suppresses appetite but has no effect on ghrelin or peptide YY levels, **A5**
- Murray FE** see Doherty GA *et al*
- Murray IA** *et al.* A dysphagia hotline clinic: optimising the service, **A28**
see Murray LK *et al*
- Murray LK** *et al.* What does an adult coeliac patient want from medical gastroenterology outpatient services?, **A114**
- Murray-Lyon I** see Zakaria N *et al*
- Murray-Lyon IM** see Murray CDR *et al*
- Musa M, Grimley CEF** An audit of acute upper gastrointestinal haemorrhage. Can Blatchford and Rockall scores aid in the management?, **A113**
- Muthumala A** see Thomson A *et al*
- Mutimer D** see Heydtmann M *et al*
see Thuraingam P *et al*
- Mwansa J** see Zulu I *et al*
- Mwenya D** see Zulu I *et al*
- Næsdal J** see Hawkey C *et al*
- Needs S** see Saleem A *et al*
- Negoro K** see van Heel DA *et al*
- Negus R** see Bailey C *et al*
- Neil AK** *et al.* Gastrointestinal symptoms in patients undergoing continuous ambulatory peritoneal dialysis treatment, **A116**
- Neilan TG** see Doherty GA *et al*
- Neild P** see Gordon C *et al*
- Neilly JB** see Gaya DR *et al*
- Nelson C** see White J *et al*
- Neuberger JM** see Oo YH *et al*
- Newby DE** see Ferguson JW *et al*
- Newton JL** *et al.* Fatigue in primary biliary cirrhosis is associated with symptoms of autonomic dysfunction, **A38**
- Ng SC, Pitcher MCL** The 2 week wait and upper gastrointestinal cancer: on target but missing the point?, **A110**
- Nikolopoulou VN** see Cholongitas E *et al*
- Nimmo E** see Ho GT *et al*
- Nimmo ER** see Noble CL *et al*
see Russell RK *et al*
- Nixon P** *et al.* Use of propofol sedation for colonoscopy: a district unit experience, **A63**
- Njobvu I** see Zulu I *et al*
- Noble C** see Rajan JN *et al*
- Noble CL** *et al.* OCTN 1 and 2 polymorphisms within the IBD5 locus predict susceptibility and severity in Crohn's disease, **A96**
- Novelli M** see Marks D *et al*
see Preston SL *et al*
- Novelli MR** see Mackenzie GD *et al*
see Selvasekar CR *et al*
- Nwokolo C** see Ghosh S *et al*
- Nwokolo CU** see Cooper SC *et al*
see Gelliffe KM *et al*
see Mottershead M *et al*
see Sajjad A *et al*
- Nylander D** see Hancock J *et al*
see Shenderey R *et al*
- O'Donnell K** see Thuraingam P *et al*
- O'Donoghue DP** see Lennon AM *et al*
- O'Donohue J** see Fraser JS *et al*
- O'Donovan M** see Mackenzie GD *et al*
- O'Reilly DSTJ** see Muhtaseb MS *et al*
- O'Sullivan C** see Oppong K *et al*
- O'Sullivan J** see Lennon AM *et al*
- Obszynska JA** see Atherfold PA and Obszynska JA
see Atherfold PA *et al*
- Ogunwobi O, Beales ILP** Adiponectin stimulates proliferation and interleukin-8 secretion by colonic epithelial cells, **A89**
Glycine-extended gastrin stimulates proliferation and inhibits apoptosis in colon cancer cells via multiple pathways, **A57**
- Olliver JR** *et al.* DNA damage, risk factors, and disease progression in Barrett's oesophagus, **A51**
Oxidised proteins, risk factors, and disease progression in Barrett's oesophagus, **A52**
- Olliver JR** see Sturmey RG *et al*
- Omar H** see Lindsay JO *et al*
- Ong J** *et al.* Mode of delivery and risk of faecal incontinence in women with or without IBD: questionnaire survey, **A93**
- Onnie C** *et al.* Multiple SNPs at the IBD5 locus contribute to the risk of Crohn's disease, **A95**
see Barbour J *et al*
see van Heel DA *et al*
- Onwuegbusi BA** see Rees RE *et al*
- Oo YH** *et al.* Incidence of cancers following orthotopic liver transplantation in a single centre: comparison with national cancer incidence rates for England and Wales, **A7**
- Oppong K** *et al.* The performance of linear EUS, endoscopist aspirate assessment, fluid cytology, and fluid tumour markers in the diagnosis of pancreatic cystic lesions, **A50**
see Ramakrishnan S *et al*
- Osborne V** see Fullard M *et al*
- Osonnaya C** *et al.* Investigating the link between mast cell density and severity of helicobacter pylori gastritis in the corpus and antrum, **A85**
- Osonnaya K** see Osonnaya C *et al*

- Ottewell PD** *et al.* Radiation induces gastrin-CCK_B receptor expression in IEC-6 and IEC-18 intestinal epithelial cells, **A88**
see Duckworth CA *et al*
see Przemecck SMC *et al*
- Otto WR** see Bamba S *et al*
- Oukrif D** see Marks D *et al*
see Preston SL *et al*
- Padfield E** see Tremelling M *et al*
see Waller S *et al*
- Pain JA** see Talwar A *et al*
- Painter J** see Hancock J *et al*
- Palmer N** see Suzuki N *et al*
- Palmer S** see Heydtmann M *et al*
- Pang C** see Stigliano R *et al*
- Panter S** see McPherson S *et al*
see Ramakrishnan S *et al*
see Rees CJ *et al*
- Papadopoulou A** see Zakaria N *et al*
- Paraskeva K** see Anagnostopoulos GK *et al*
- Parcell A** see Duane P *et al*
- Parente F** *et al.* Can bowel ultrasound replace colonoscopy in diagnosing ulcerative colitis flare-up and monitoring its response to medical therapy? A prospective, endoscopic controlled study, **A94**
see Anderloni A *et al*
- Parker D** *et al.* Faecal calprotectin in the management of IBD and in the assessment of patients with IBS, **A89**
- Parker JL** see Shenoy AH *et al*
- Parker MC, Verin N** Cost comparison between stenting and surgery for malignant colorectal obstruction in England, **A20**
- Parker MC** see Forshaw MJ *et al*
- Parkes M** see Probert C *et al*
see Tremelling M *et al*
see Waller S *et al*
- Parr J, Hudson M** Audit of acute variceal bleeding in a tertiary referral centre, **A40**
- Parry JM** see Jenkins GJS *et al*
- Parry SD** see McKeown ES *et al*
- Parsons C** see Watson NFS *et al*
- Pasmany L** see Ahmad S *et al*
- Pastore L** see Parente F *et al*
- Patch D** see Cholongitas E *et al*
see Senzolo M *et al*
see Stigliano R *et al*
- Paterson S** *et al.* Prevention of acid N-nitrosation requires both water and lipid soluble antioxidants, **A59**
see Winter J *et al*
- Pearce C** see Banfield A *et al*
- Pearce CB** *et al.* A double blind trial of immunonutrition v isocaloric feeds after major upper gastro intestinal surgery, **A79**
A double blind trial of immunonutrition versus isocaloric feeds on severe acute pancreatitis, **A5**
Careful patient selection may improve response rates to infliximab in IBD, **A94**
- Peck D** see Bailey C *et al*
- Peck RJ** see Gleeson D *et al*
see Welhengama C *et al*
- Peiris R** *et al.* Video capsule endoscopy without prior small bowel radiology, **A69**
- Pelengaris S** see van Dellen D *et al*
- Pender SL** see Gordon JN *et al*
- Pereira SP** see Webster GJM *et al*
see Wittmann J *et al*
- Perring S** Automated identification of oesophageal peristalsis and classification of dysmotility using a rolling correlation method, **A34**
- Petersen OH** see Baumgartner HK *et al*
- Petransky I** see Saleem A *et al*
- Philipose Z** *et al.* Obesity as an independent risk factor for functional gut disorders, **A117**
- Phull PS** *et al.* Results of screening colonoscopy in familial colorectal cancer, **A74**
see Sen S *et al*
- Pick B** see Anagnostopoulos GK *et al*
- Picton R** see Ramasamy S *et al*
- Pitcher MCL** see Ng SC and Pitcher MCL
- Plant GR** see Ahmed A *et al*
- Playford R** see Chaudhary R *et al*
- Playford RJ** see Akbar A *et al*
see Chaudhary R *et al*
see FitzGerald AJ *et al*
see Hunt KA *et al*
see Mahmood A *et al*
see van Heel DA *et al*
- Plevris J** see Ghosh S *et al*
- Pollok RCG** see Zulu I *et al*
- Poon K** see Nixon P *et al*
- Potrykus E** see Shores M *et al*
- Potter CW** see Kostidis K *et al*
- Poullis A** *et al.* Repeat faecal and serum calprotectin to monitor therapy of active IBD: comparison with clinical scores and planar radio-labelled white cell scans (WCS), **A90**
see Philipose Z *et al*
- Poulsom R** see Direkze NC *et al*
see Goodlad RA *et al*
- Powell JJ** see Li ACY *et al*
- Powell KU** see Cameron EAB *et al*
- Prasad P** *et al.* Closing the costs on *Helicobacter pylori*, **A61**
- Pratt H** see Cairns A *et al*
- Preston SL** *et al.* Clusters of phenotypically related human colonic crypts develop through crypt fission: implications for colorectal carcinogenesis, **A24**
see Bamba S *et al*
- Preston T** see Hamid R *et al*
see Paterson S *et al*
see Winter J *et al*
- Price C** see Welhengama C *et al*
- Price M** see Barbour J *et al*
- Price MR** see Wong R *et al*
- Prince M** see Shenderey R *et al*
- Pritchard DM** see Bullen TF *et al*
see Duckworth CA *et al*
see Ottewell PD *et al*
see Przemecck SMC *et al*
- Pritchard S** see Griffiths EA *et al*
- Probert C** *et al.* Topical 5-aminosalicylate can be added to high dose (4 g) oral therapy without significant changes to urinary concentrations of 5-aminosalicylate and acetyl-5-aminosalicylate or evidence of renal adverse effects, **A93**
- Probert CS** see Brooklyn TN *et al*
see Makhijani JH and Probert CS
- Przemecck SMC** *et al.* Gastrin induces mdm-2 and suppresses p53 expression in AGS_{gr} cells, resulting in resistance to DNA damage induced apoptosis, **A87**
Radiation induces p53 dependent apoptosis in the proliferative zone of mouse gastric epithelium, **A88**
TH1 cytokines, but not gastrin increase *Helicobacter pylori* induced apoptosis in short term primary cultures of murine gastric glands, **A61**
- Pugh S** see Shenoy AH *et al*
- Pyrah IT** see Goodlad RA *et al*
- Qian BF** see Moodie FM *et al*
- Quaglia A** see Cholongitas E *et al*
see Gasem J *et al*
see Shah T *et al*
see Sheth H *et al*
- Quest LJ** see Radhakrishnan NV *et al*
- Quigley AM** *et al.* Neuroendocrine tumour imaging: somatostatin receptor scintigraphy v ¹²³I-MIBG scintigraphy, **A56**
- Quirke P** see Littleford S *et al*
- Rabkin C** see Smith MG *et al*
- Rademaker J** see Probert C *et al*
Endoscopy and NCEPOD—a retrospective five year endoscopy audit, **A64**
- Radhakrishnan NV** *et al.* Addition of local antiseptic spray to antibiotic regime reduces the incidence of stomal infection following percutaneous endoscopic gastrostomy: a randomised controlled trial, **A11**
Beware of this complication of therapeutic endoscopy!, **A32**
- Rae DM** see Heatley DJT *et al*
- Ragunath K** *et al.* High resolution magnification endoscopy with adaptive index of haemoglobin colour enhancement to evaluate the UGI tract, **A65**

- Ragunath K** see Anagnostopoulos GK *et al*
see Fortun P *et al*
see Kapoor N *et al*
- Rahman M** see Cherian S *et al*
- Rai PS** see FitzGerald AJ *et al*
- Rajagopalan S** see Shah AJ *et al*
- Rajan JN** *et al*. The epidemiology and clinical features of collagenous colitis in Lothian, **A99**
- Rajapaksa S** see Yeoman AD *et al*
- Rakshit RC** *et al*. Longitudinal study of bone density changes in Crohn's disease, **A100**
- Ramadas AV** see Yearsley KA *et al*
- Ramage J** see Banfield A *et al*
- Ramage JK** see Ahmed A *et al*
see Davies AHG *et al*
- Ramakrishna BS** see Balamurugan R *et al*
- Ramakrishnan S, Hudson M** Post orthotopic liver transplant complications in primary sclerosing cholangitis, **A45**
- Ramakrishnan S** *et al*. One year prospective audit of ERCP across one hospital trust, **A72**
- Raman VSVS** see Kapoor N *et al*
- Ramani P** see Vieten D *et al*
- Ramasamy S** *et al*. Hydrogen sulphide detoxification enzymes: regulation of expression by butyrate and sulphide in human colon, **A101**
Thiopurine methyltransferase activity in rectal mucosa and erythrocytes in IBD, **A101**
- Ramdass D** see Aljabiri MR *et al*
- Rameh B** see Gasem J *et al*
- Ramesh J** see Halsall S *et al*
- Ramnarace R** see East JE *et al*
- Rampton DS** see Khatab KM *et al*
see Mawdsley JE *et al*
- Ramus JR** see Gatenby PAC *et al*
- Randeva H** see Mottershead M *et al*
- Rao GKB** see Rao S *et al*
- Rao S** *et al*. Sensori-neural hearing loss (SNHL): an under recognised extra intestinal manifestation of ulcerative colitis, **A98**
- Rashid M** *et al*. Colonoscopy and anaemia: audit of appropriateness of colonoscopy for a single indication, **A108**
- Ratcliffe R** see Williams L *et al*
- Ratnayake G** see Wijesuriya SRE *et al*
- Rawcliffe P** *et al*. A nurse led paracentesis service is safe and efficient, **A27**
- Read JR** see Russell RK *et al*
- Reading N** see Wong R *et al*
- Rees C** see McPherson S *et al*
- Rees CJ** *et al*. Nurse led open access endoscopy can provide rapid access to endoscopy for units that plan to modify the nice dyspepsia guidelines, **A65**
- Rees IW** *et al*. A study to evaluate the role of sedation in colonoscopy, **A63**
- Rees JRE** *et al*. Epithelial to mesenchymal transformation in vitro induced by transforming growth factor beta in oesophageal adenocarcinoma, **A24**
- Rees M** see Saich RC *et al*
- Reffitt DM** see Fraser JS *et al*
- Rembacken BJ** see Sreedharan A *et al*
- Reynolds AP** *et al*. Monitoring colonoscopy success rates and detecting changes in sedation practice using data mining and statistical techniques: figures from a regional training centre, **A10**
To be or not to be sedated? —The effect of age and gender on an individual patient's likely decision, **A62**
- Reynolds AP** see Sheikh K *et al*
- Reynolds M** see Seward EW *et al*
- Rhodes JM** see Mpofu CM *et al*
see Subramanian S *et al*
- Richardson D** see Oppong K *et al*
- Riddell A** see Senzolo M *et al*
- Riley S** see Karajeh MA *et al*
see Probert C *et al*
- Ritz B** see FitzGerald AJ *et al*
- Roberts G** see Bailey C *et al*
- Roberts M** see Tiwari I *et al*
- Roberts PJ** see Lock C *et al*
- Roberts S** see Jethwa P *et al*
- Robins G** *et al*. The relation between worldwide variation in *cagA+* *Helicobacter pylori* infection, histological subtype of oesophageal cancer, and sex, **A15**
- Robinson PA** see Du Y *et al*
see Jeremy AHT *et al*
- Robinson RJ** see Rakshit RC *et al*
- Roche E** see Gasem J and Roche E
- Rogers P** see Russell RK *et al*
- Rolando N** see Stigliano R *et al*
- Rolles K** see Stigliano R *et al*
- Rollinson S** see Donnellan CF *et al*
- Rook L, Kelly SM** Rescue methotrexate therapy in chronic active ulcerative colitis patients intolerant of thiopurines, **A92**
- Rosen J-P** see Morris AJ *et al*
- Rosen JP** see Morris AJ *et al*
- Rotimi O** see Littleford S *et al*
- Rousseau N** *et al*. Identifying patients with irritable bowel syndrome via a population survey, **A84**
- Rowe L** see Ishaq S *et al*
- Rowland R** see Hancock J *et al*
- Rowland RS** see Hancock J *et al*
see Heatley DJT *et al*
- Roy A** see Lao-Sirieix P *et al*
- Royston C** see Basumani P *et al*
- Rubin G** see Rousseau N *et al*
- Rubio Pinedo I** *et al*. Tumor M2-PK: comparative study of the value of tumour markers in the diagnosis of colorectal liver metastasis, **A29**
- Rushbrook S** see Unitt E *et al*
- Russell IT** see Durai D *et al*
- Russell RK** *et al*. Do NOD2/CARD15 variants explain the high prevalence of early-onset Crohn's disease in Scotland?, **A96**
Factors affecting the time to IBD diagnosis in children: implications for practice, **A94**
Parental smoking during pregnancy and an atopic background predispose to paediatric inflammatory bowel disease, **A2**
- Rutgeerts P** see Ghosh S *et al*
- Ryan A** see Goodlad RA *et al*
- Rye KA** *et al*. A pilot study of nasal endoscopy, **A65**
- Sadek SA** see Pearce CB *et al*
- Saeed A** see Damodharan K *et al*
- Safdi MA** see Hanauer SB *et al*
- Safe A** see DeCruz P *et al*
see Nixon P *et al*
- Sahay P** see Sturmey RG *et al*
- Saich RC** *et al*. Molecular adsorbents recirculating system therapy does not decrease the ability of liver failure plasma to induce apoptosis and cell death, **A49**
N-acetylcysteine protects primary human hepatocytes from Fas-ligand binding induced apoptosis, **A49**
- Sainongo S** see Zulu I *et al*
- Saito Y** see Saniabadi A *et al*
- Sajjad A** *et al*. Ciprofloxacin reduces small intestinal bacterial overgrowth and plasma ethanol concentration in patients with non-alcoholic steatohepatitis, **A7**
- Sakellariou V** see Karajeh MA *et al*
see Sidhu R *et al*
- Salam I** see Rees IW *et al*
- Saleem A** *et al*. Role of liver nurse specialist: impact of audit on change in practice of liver biopsy at a district general hospital, **A28**
- Sales KM** see Sheth H *et al*
- Salhan B** see Sharma N *et al*
- Salmon M** see Heydtmann M *et al*
- Samonakis D** see Cholongitas E *et al*
see Senzolo M *et al*
- Sampietro GM** see Parente F *et al*
- Sampson B** see East JE *et al*
- Sandborn W** see Ghosh S *et al*
- Sandborn WJ** see Hanauer SB *et al*
- Sanders DS** see Elphick DA *et al*
see Hopper AD *et al*
see Hurlstone DP *et al*
see Kar D *et al*
see Karajeh MA *et al*
see Leeds JS *et al*
- Sanders DSA** see Gurusamy SK *et al*

- Sanderson IR** see Dogra H *et al*
see Sawczenko A *et al*
- Sanderson J** see Ghosh S *et al*
see Onnie C *et al*
- Sangwaiya A** see Arnold JD *et al*
- Saniabadi A** *et al*. Targeting myeloid leucocytes as specific immune cells in the treatment of IBD: does this mean “treatment with no drug?”, **A102**
- Saniabadi AR** see Hanci H *et al*
- Sankararajah D** *et al*. Excision of rectal adenomas using the urological resectoscope should be considered when endoscopic polypectomy fails, **A81**
see Forshaw MJ *et al*
- Sanyal A** see Murray IA *et al*
see Murray LK *et al*
- Sartor RB** see Moodie FM *et al*
- Sasieni P** see Preston SL *et al*
- Satsangi J** see Aldhous MC *et al*
see Chiam PS *et al*
see Dahele A *et al*
see Ho GT *et al*
see Lees CW *et al*
see Moodie FM *et al*
see Noble CL *et al*
see Rajan JN *et al*
see Russell RK *et al*
- Sattianayagam P** see Gordon C *et al*
- Saunders B** see Man RFS *et al*
see Schofield G *et al*
see Suzuki N *et al*
- Saunders J** see East JE *et al*
- Saunders JB** see Binnie JA *et al*
- Savage K** see McStay M *et al*
- Sawczenko A** *et al*. The -174 G/C interleukin-6 polymorphism determines growth failure in paediatric onset Crohn’s disease, **A97**
- Sawyer AM** see Carty E *et al*
- Sayer JM** see Leeds JS *et al*
- Sayers JR** see Kostidis K *et al*
- Scheiman J** see Hawkey C *et al*
- Schmidt S** see Labenz J *et al*
- Schofield G** *et al*. Can nurse practitioners examine and report video capsule endoscopy as effectively as physicians?, **A70**
- Schreiber S** see Ghosh S *et al*
see Onnie C *et al*
- Schwizer W** see Fox M *et al*
- Scobie G** see Paterson S *et al*
see Winter J *et al*
- Scott IHK** see Heatley DJT *et al*
- Scott N** see Littleford S *et al*
see Wilson JM *et al*
- Scully GM** see Doherty GA *et al*
- Seckl JR** see Moodie FM *et al*
- Seef S** see Shiha G *et al*
- Segal AW** see Marks D *et al*
- Seifalian A** see Sheth H *et al*
- Seifalian AM** see Mallick IH *et al*
- Selden C** see Habib MM *et al*
see Saich RC *et al*
- Selvasekar C** see Mackenzie GD *et al*
- Selvasekar CR** *et al*. Randomised controlled trial of photodynamic therapy using low dose 5 aminolevulinic acid activated by red or green light for high grade dysplasia in Barrett’s oesophagus, **A54**
see Mackenzie GD *et al*
- Sen S** *et al*. A two year prospective audit of percutaneous liver biopsies, **A40**
The value of routine terminal ileal biopsy to document successful completion of colonoscopy, **A76**
- Senzolo M** *et al*. Effect of heparinoids (glycosaminoglycans) on coagulation: a thromboelastographic study, **A47**
Transjugular intrahepatic portosystemic shunt for portal vein thrombosis with and without cavernomatous transformation, **A7**
see Cholongitas E *et al*
see Stigliano R *et al*
- Seward E** see Webster GJM *et al*
- Seward EW** *et al*. Pressure change in the rat pancreas during acute pancreatitis, **A50**
- Sezer O** see Davies AHG *et al*
- Shaffer J** see Ghosh S *et al*
- Shah A** *et al*. A difficult case of upper gastrointestinal haemorrhage, **A32**
Gastrointestinal carcinoid tumours—a five year experience from a district general hospital, **A58**
- Shah AJ** *et al*. Are the sophisticated 21st century radiological investigations reliable in predicting which patients should undergo a laparotomy?, **A76**
- Shah T** *et al*. EGFR expression and activation in neuroendocrine tumours, **A57**
The role of ^{99m}Tc-Technetium depreotide in scanning neuroendocrine tumours, **A57**
see Quigley AM *et al*
- Shand A** see Dahele A *et al*
- Sharma N** *et al*. Small bowel iron absorption IS inhibited BY TNF- α , **A106**
The expression of hepatic hepcidin and duodenal divalent metal transporter 1 are modified by ethanol and acetaldehyde, **A8**
see Laffah A *et al*
- Sharma RK** see Radhakrishnan NV *et al*
- Shaw S** see Cholongitas E *et al*
- Sheahan K** see Lennon AM *et al*
- Sheikh K** *et al*. Data mining techniques can be used to rapidly interrogate an endoscopy database and calculate ‘adjusted’ colonoscopy success or failure rates—but what criteria should be used to define such success?, **A75**
The clinical impact of wireless capsule endoscopy in obscure gastrointestinal bleeding: does it make a difference?, **A69**
see Reynolds AP *et al*
- Shenderey R** *et al*. More resources to implementation of the “two week rule” will not lead to diagnosis of colon cancer at an earlier stage, **A36**
- Shenderey RL** *et al*. Hepatitis C: a weighty economic problem?, **A41**
- Shenoy AH, Thomas PD** Investigation of patients with unintentional abnormal weight loss presenting to gastroenterology services, **A109**
- Shenoy AH** *et al*. Is it possible to differentiate non-alcoholic steatohepatitis from simple fatty liver without a liver biopsy?, **A43**
Rapidly accumulating ascites: an unusual case, **A31**
What is the cause of this cholestatic jaundice?, **A31**
see Radhakrishnan NV *et al*
- Shepherd N** see Shetty G *et al*
- Sheron N** see White J *et al*
- Sheth H** *et al*. Does perioperative N-acetylcysteine prevent ischaemia reperfusion injury during liver resection?: A prospectively randomised double blind clinical trial, **A39**
Intravenous glycine ameliorates the early phase of liver warm ischaemia reperfusion injury in a rabbit animal model, **A39**
- Shetty A** see Brooklyn TN *et al*
- Shetty G** *et al*. Raman spectroscopy: Illumination of biochemical changes in carcinogenesis with potential endoscopic application, **A51**
- Shetty S** *et al*. Upper GI cancers—how many do we miss?, **A66**
- Shiha G** *et al*. Endoscopic ligation compared with propranolol and combined isosorbide mononitrates (ISMN) and propranolol to prevent recurrent variceal bleeding: a prospective randomised trial, **A6**
- Shonde A** *et al*. The potential of 5-lipoxygenase products in the prevention of colon cancer: NSAIDs, LTB₄, and PPAR α , **A30**
- Shores M** *et al*. Nurse led investigation of iron deficient anaemia improves access times, releases clinic slots, and picks up significant pathology, **A112**
- Siah CW** see Pearce CB *et al*
- Sichel F** see Breton J *et al*
- Sidhu R** *et al*. Does informed consent for endoscopic procedures lead to an informed decision?, **A27**
Effect of 2 week wait guidelines on waiting times for colonoscopy, **A111**
- Simpson KJ** see Bates CM *et al*
- Simpson R** see Li ACY *et al*
- Singh N** see Cherian S *et al*
- Singh P** see Bhargava R *et al*
see Cherian S *et al*
- Singh R** see Shah A *et al*
- Singh S** see Ramasamy S *et al*
- Sinha L** see Lea R *et al*
- Sivagnanaratnam A** see Arnold JD *et al*
- Sivapathasuntharam D** see Weaver SA *et al*

- Skander MPS** see Shah A *et al*
- Skelly MM** see Arasaradnam RP *et al*
- Skilbeck C** see Rawcliffe P *et al*
- Skinner J** see Welhengama C *et al*
- Slater C** see Hamid R *et al*
- Smeeth L** see Tata LJ *et al*
- Smith CJP** see Tata LJ *et al*
- Smith JA** see Algladi T *et al*
- Smith L** see Aldhous MC *et al*
see Noble CL *et al*
see Russell RK *et al*
- Smith LA** *et al*. Assessment of a novel solid state transducer biliary manometer, **A77**
- Smith M** see Basumani P *et al*
see Dias AS *et al*
- Smith MG** *et al*. COX-2 gene polymorphisms and association with premalignant changes in the stomach, **A9**
11-8-251 promoter polymorphism and risk of gastric cancer in White and Japanese populations, **A9**
- Smith S** see Sajjad A *et al*
see White J *et al*
- Smith SL** see Heatley DJT *et al*
- Smithson JE** see Cherrington A *et al*
- Smythe A** see Chan A *et al*
- Solanki K** see Lea R *et al*
- Soliman A** see Karajeh MA *et al*
see Sidhu R *et al*
- Somasekar A** *et al*. Audit of negative lower GI investigations preceding final diagnosis of colorectal cancer, **A74**
- Somers SS** see Pearce CB *et al*
- Sonwalker S** *et al*. Anti-endomysial antibody seroconversion predicts mucosal recovery in treated coeliac disease, **A4**
- Soo S** see McPherson S *et al*
see Rees CJ *et al*
- Soranzo N** see Ho GT *et al*
- Spector TD** see Mohammed I *et al*
- Spence E** see Barclay S *et al*
- Spicer RD** see Vieten D *et al*
- Spiller RS** see Foley SJ *et al*
- Spychal RT** see Jethwa P *et al*
- Sreedharan A** *et al*. Does drinking a small amount of anti-foam before upper gastrointestinal endoscopy improve the views obtained? A double blind randomised controlled study, **A11**
- Stagg A** see Lindsay JO *et al*
- Stamp GWH** see Galletly NP *et al*
- Stanley AJ** see Gaya DR *et al*
see Hamid R *et al*
see McMahon M *et al*
- Stansfield R** see McKeown ES *et al*
- Steele RJC** see Sen S *et al*
- Stefanou D** see Anagnostopoulos GK *et al*
- Steinborn C** see Mearin F *et al*
see Monnikes H *et al*
- Steingötter A** see Fox M *et al*
- Stephens MR** *et al*. Multidisciplinary team management is associated with improved outcomes after surgery for gastric cancer, **A111**
see Hopper AN *et al*
- Stephenson BM** see Somasekar A *et al*
- Stewart E** see Cairns A *et al*
- Stewart M** see Forshaw MJ *et al*
see Sankararajah D *et al*
- Stigliano R** *et al*. Circulating progenitor cells after vascular injury, **A48**
Peripheral hepatic and haematopoietic stem cells after partial hepatectomy: preliminary data, **A48**
see Senzolo M *et al*
- Stoker E** see Mulchandani M *et al*
- Stokes A, Goddard AF** Nice guidance will delay diagnosis of cancer in patients over 55 with new onset dyspepsia, **A60**
- Stokes A** see Rye KA *et al*
- Stone N** see Shetty G *et al*
- Stubbs M** see McStay M *et al*
- Sturmei RG** *et al*. Red light excitation of methylene blue causes DNA damage in oesophageal adenocarcinoma cells, **A35**
- Stutz B** see Fox M *et al*
- Subhlal** see George AT *et al*
- Subramanian S** *et al*. Crohn's disease and colon cancer mucosa associated *Escherichia coli* stimulate colon epithelial IL-8 production through the extracellular signal-regulated kinase and p38 mitogen activated protein kinase pathways, **A21**
- Subramanian V** see Balamurugan R *et al*
- Sugarbaker P** see Shenoy AH *et al*
- Summerton C** see Mohammed F *et al*
- Summerton CB** see Goel R *et al*
- Suri D** see Thomson A *et al*
- Sutherland-Craggs A** see Barbour J *et al*
see Todhunter CE *et al*
- Sutton R** see Baumgartner HK *et al*
- Suzuki N** *et al*. The usefulness of a paediatric scope or gastroscopie in difficult colonoscopy cases, **A75**
- Suzuki Y** see Saniabadi A *et al*
- Swain P** see Osonnaya C *et al*
- Swarbrick ET** see Shetty S *et al*
see Syed T *et al*
- Swift GL** see Taneja R *et al*
- Syed M** see Bhargava R *et al*
- Syed T** *et al*. Hidden demand: uninvestigated iron deficiency anaemia in primary care, **A110**
- Syn W** see Sajjad A *et al*
- Taal B** see Davies AHG *et al*
- Tachtatzis P** *et al*. Does smoking affect disease progression in primary biliary cirrhosis?, **A43**
- Tadrous P** see Preston SL *et al*
- Taha AS** *et al*. Endoscopic lesions related to low dose aspirin and anti-thrombotic drugs in subjects with upper gastrointestinal blood loss, **A67**
Upper gastrointestinal haemorrhage associated with low dose aspirin and anti-thrombotic drugs—a six year analysis and comparison with non-steroidal anti-inflammatory drugs, **A60**
- Tailor V** see Thuraisingam AI *et al*
- Takeuchi K** see Hanai H *et al*
see Saniabadi A *et al*
- Talley N** see Hawkey C *et al*
- Talwar A** *et al*. Does topical GTN on the sphincter of Oddi facilitate ERCP?, **A72**
- Talwar DK** see Muhtaseb MS *et al*
- Tam B** see Subramanian S *et al*
- Tan AC** see Lennon AM *et al*
- Tanaka T** see Hanai H *et al*
- Taneja R** *et al*. A protocol for colonic imaging in elderly patients, **A28**
- Tang M** *et al*. An in vitro examination of adhesive alginate solutions as oesophageal protectants, **A54**
Oesophageal adhesive solutions of alginate protect against damage caused by gastric reflux, **A54**
- Taniere P** see Boulton JKR *et al*
see Jethwa P *et al*
see van Dellen D *et al*
- Tata LJ** *et al*. Does joint prescription of antidepressants and NSAIDs substantially increase the risk of upper gastrointestinal bleeding?, **A59**
- Taylor GW** see FitzGerald AJ *et al*
- Taylor V** see Walters JRF *et al*
- Teague B** see Cairns A *et al*
- Teahon K** see Bebb JR *et al*
- Telfer L** see Mohammed F *et al*
- Tenesa A** see Ho GT *et al*
- Teoh KF** see Lim SG *et al*
- Tepikin A** see Baumgartner HK *et al*
- Thackray P** see Kostidis K *et al*
- Tham TCK** see Lynch PM and Tham TCK
see McConville P *et al*
see Murdock A *et al*
see Probert C *et al*
- Thapar C** see Schofield G *et al*
see Suzuki N *et al*
- Thillainayagam AV** see Galletly NP *et al*
- Thjodleifsson B** see Maiden L *et al*
- Thomas GV** see Stephens MR *et al*
- Thomas HG** see Shenoy AH *et al*
- Thomas MG** see Glancy DG *et al*
- Thomas PD** see Shenoy AH and Thomas PD
see Shenoy AH *et al*

- Thomas RC, Metcalf JV** Causes of significant hypertransaminasaemia in an inpatient population, **A47**
- Thomas RJ** see Argent RH *et al*
- Thomas S** see Rashid M *et al*
- Thomas T, Mayberry JF** Are financial constraints limiting the prescription of infliximab in Crohn's disease? A survey of the inflammatory bowel disease group of the British Society of Gastroenterology, **A26**
- Thompson IW** see Somasekar A *et al*
- Thompson K** see Gupta S *et al*
- Thompson NP** see Todhunter CE *et al*
- Thompson RPH** see Li ACY *et al*
- Thomson A** *et al*. A prospective audit to establish if infliximab is safe to be administered by a nurse specialist in a district general hospital, **A111**
- Thorburn D** *et al*. Initial insertion of a metal stent for palliation of distal malignant biliary obstruction: a cost consequence analysis in the UK, **A73**
see Anderloni A *et al*
see Thurairajah P *et al*
- Thoree V** see Li ACY *et al*
- Thorpe S** see Mackenzie GD *et al*
- Thorpe SM** see Casburn-Jones A *et al*
see Mackenzie GD *et al*
see Selvasekar CR *et al*
- Thresher T** see Barker S *et al*
- Thurairajah P** *et al*. Serum transaminase increase during combination of pegylated interferon and ribavirin treatment for chronic hepatitis C, **A8**
- Thuraisingam AI, Morris AI** Acceptability and usefulness of endoscopy training assessment sheets, **A112**
- Thuraisingam AI** *et al*. National results of an endoscopy unit global rating scale, **A20**
Reducing inappropriate use of intravenous proton pump inhibitors with a cost effective guideline, **A33**
- Thyssen M** see Tachtatzis P *et al*
- Tibballs J** see Senzolo M *et al*
see Stigliano R *et al*
- Tibbs C** see Fullard M *et al*
- Tibbs CJ** see Cowan ML *et al*
- Tighe R** see Reynolds AP *et al*
see Sheikh K *et al*
- Tiwari I** *et al*. The Buried Bumper Syndrome, **A79**
- Todhunter CE** *et al*. IL-6, COL1a1, and VDR gene polymorphisms and bone mineral density in Crohn's disease, **A98**
see Barbour J *et al*
- Toh SK** see Pearce CB *et al*
- Torres J** see Avilés F *et al*
- Tracey I** see Dunckley P *et al*
- Travis S** see Ahmad T *et al*
- Travis SPL** see Hunt KA *et al*
- Tremelling M** *et al*. Haplotype tagging SNPs in the vitamin D receptor gene are not associated with IBD, **A95**
see Waller S *et al*
- Triantos CK** see Cholongitas E *et al*
see Senzolo M *et al*
- Trivedi D** see Williams L *et al*
- Trudgill NJ** see Khan I *et al*
see Mohammed I *et al*
- Tsai HH** see Smith LA *et al*
- Tsang S** see Vu C *et al*
- Tselepis C** see Boulfi JKR *et al*
see Jethwa P *et al*
see Laftah A *et al*
see Sharma N *et al*
see van Dellen D *et al*
- Tsianos E** see Anagnostopoulos GK *et al*
- Tull K** see White J *et al*
- Turnbull D** see Preston SL *et al*
- Turner A** see Shenoy AH *et al*
- Turner GB** see Cadden IS *et al*
see Murdock A *et al*
- Turner P, Deakin M** Percutaneous endoscopic gastrostomy tube removal and replacement following "Buried Bumper Syndrome": the simple way, **A6**
- Turner S** see Hughes S *et al*
- Unitt E** *et al*. CD8+ lymphocytes infiltrating hepatocellular carcinoma are immature and suppressed by CD4+CD25+ regulatory T cells, **A42**
Confocal microscopy for CD25 and Mm-2: a way to distinguish between acute cellular rejection and recurrent allograft hepatitis C infection (a pilot study), **A42**
Tumour lymphocytic infiltrate and recurrence of hepatocellular carcinoma following liver transplantation: a relation to phenotype, **A41**
- Vaishnavi A** see Mohan V and Vaishnavi A
- Vakil N** see Hawkey C *et al*
- Vales P** see Chan A *et al*
see Lea R *et al*
- Valori RM** see Thuraisingam AI *et al*
- van Dellen D** *et al*. The molecular evolution of Barrett's metaplasia, **A87**
see Jethwa P *et al*
- van Heel DA** *et al*. Amplification of toll-like receptor sensitivity by muramyl dipeptide is impaired in Crohn's disease associated NOD2 mutations, **A1**
see Hunt KA *et al*
- van Someren N** see Aljabiri MR *et al*
- Vargas H** see Weaver SA *et al*
- Varro A** see Ahmad S *et al*
see Duckworth CA *et al*
see Ottewell PD *et al*
see Przemeczek SMC *et al*
- Vasani J** see Maitra S *et al*
- Veitch AM** see Syed T *et al*
- Vellacott KD** see Somasekar A *et al*
- Vennart W** see Poullis A *et al*
- Verbeke C** see Littleford S *et al*
- Verin N** see Parker MC and Verin N
see Thorburn D *et al*
- Vicary FR** see Thomson A *et al*
- Vieten D** *et al*. Failure of trefoil peptide response to mucosal injury in neonatal necrotising enterocolitis, **A37**
- Vijayan B** *et al*. The role of aspirin, NSAID, and anticoagulants in the increasing incidence of acute lower gastrointestinal tract bleeding over 10 years, **A19**
- Vijayan KV** see George AT *et al*
- Vollset SE** see Hansen S *et al*
- Vowler S** see Unitt E *et al*
- Vu C** *et al*. Development of an evidence based protocol for time to discharge following outpatient endosonography guided fine needle aspirate or trucut biopsy, **A71**
EUS staging of oesophageal cancer without dilation: oesophagoprobe as the preferred instrument, **A71**
Linear endosonography guided cystgastrostomy of pancreatic pseudocyst, **A71**
The safety of endosonography guided fine needle aspiration and/or trucut biopsy in patients on aspirin, NSAIDs or prophylactic low molecular weight heparin, **A71**
see Doig L *et al*
see Meenan J *et al*
- Waddington CS** see Lang-Lenton M *et al*
- Wai CT** see Lim SG *et al*
- Wallace B** see Ishaq S *et al*
- Waller S** *et al*. OCTN associated with Crohn's disease and ulcerative colitis but does it cause IBD?, **A17**
Replication of association between IBD and TNF-857 but not DLG5, NFKb, keratin 8 or TUCAN/CARD8, **A95**
- Waller S** see Tremelling M *et al*
- Walley K** see Ishaq S *et al*
- Walsh S** see Heron T *et al*
- Walters AM** see Pearce CB *et al*
- Walters J** see Akbar A *et al*
- Walters JRF** *et al*. Ileal bile acid transporter expression levels in patients with chronic diarrhoea, **A4**
see Hunt KA *et al*
- Warley A** see Li ACY *et al*
- Warnes TW** see Meaden C *et al*
- Warren B** see Ahmad T *et al*
see Shetty G *et al*
- Wassif WS** see Binnie JA *et al*
see East JE *et al*

- Watanabe F** see Hanai H *et al*
Watkins AJ see Goodlad RA *et al*
Watson A see Foley SJ *et al*
 see Gatenby PAC *et al*
Watson AJ see Ottewill PD *et al*
 see Przemecck SMC *et al*
Watson AJM see Baumgartner HK *et al*
 see Bullen TF *et al*
 see McNamara AV *et al*
 see Przemecck SMC *et al*
Watson NFS *et al*. When is Crohn's not Crohn's?, **A31**
Weaver LT see Russell RK *et al*
Weaver SA *et al*. Gastroenterology outreach: a novel way of delivering gastroenterology services, **A108**
Webb DJ see Ferguson JW *et al*
Webster GJM *et al*. Autoimmune pancreatitis/ cholangiopancreatopathy: evidence of multisystem involvement, **A14**
Wedge SR see Goodlad RA *et al*
Wedgwood K see Smith LA *et al*
Weidman A see Claridge A *et al*
Welch IM see Griffiths EA *et al*
Welfare MR see McKeown ES *et al*
Welhengama C *et al*. Alcoholic liver disease: another disease of social deprivation?, **A42**
Welsh K see Ahmad T *et al*
West J *et al*. The life expectancy of people with coeliac disease in the UK using life table methodology, **A103**
 see Tata LJ *et al*
West R see Davis K *et al*
Westlake S see Fullard M *et al*
Whelan K see Lindsay JO *et al*
Whitaker HJ see Tata LJ *et al*
White A see Lennon AM *et al*
White J *et al*. Different populations of alcohol misusers, **A46**
Whorwell P see Mearin F *et al*
Whorwell PJ see Atkinson W *et al*
 see Jones HP *et al*
Wijesuriya SRE *et al*. Total rectal excision and coloplasty pouch following neoadjuvant therapy for rectal cancer: does it restore anorectal physiology?, **A83**
Wild CP see Cook MB *et al*
 see Donnellan CF *et al*
 see Hardie LJ *et al*
 see Olliver JR *et al*
 see Sturmey RG *et al*
Wilkinson RW see Goodlad RA *et al*
Willems PJ see Basumani P *et al*
Willert RP *et al*. Phenotypic changes to somatic chest wall afferents occur following experimental oesophageal acidification, **A18**
Williams A see Glancy DG *et al*
Williams C see Suzuki N *et al*
Williams EJ "Scoping Our (ERCP) Practice": the gap between current practice and recommendations from the National Confidential Enquiry into Patient Outcome and Death, **A11**
 Consent practice for ERCP—is adherence to BSG guidelines associated with a reduced experience of complaints pertaining to complications?, **A73**
 Experience and aspirations of ERCP trainees in England, **A72**
 see Elphick DA *et al*
Williams GT see Maharaj G *et al*
Williams JG see Durai D *et al*
Williams L *et al*. A snapshot of A&E attendees in a district general hospital: highlighting the burden of alcohol abuse, **A40**
 Do we drink more than our patients?, **A40**
Williams R see Kennedy PTF *et al*
Williams SGJ see Cameron EAB *et al*
Wilson DC see Russell RK *et al*
Wilson J see Khatab KM *et al*
Wilson JM *et al*. Genetic deletion of macrophage migration inhibitory factor has no significant effect on intestinal tumorigenesis in the *Apc^{min/+}* mouse, **A58**
Wilson JW see Dogra H *et al*
Wilson M see Russell RK *et al*
Wilson N see Mohammed F *et al*
Wilson PG see Brookes MJ *et al*
 see Cooper SC and Wilson PG
Wilson R see Rye KA *et al*
Winslet MC see Mallick IH *et al*
Winter J *et al*. In situ generation of N-nitroso compound from dietary nitrate via nitric oxide in the human proximal stomach, **A30**
Wirz A see Manning JJ *et al*
 see Winter J *et al*
Wise R see Duncley P *et al*
Wittmann J *et al*. Photodynamic therapy using talaporfin sodium (LS11) photosensitisation in the pancreas and surrounding tissues in the Syrian golden hamster, **A13**
 see Webster GJM *et al*
Wong L see Mottershead M *et al*
Wong R *et al*. Endoscopic v radiological gastrostomy: audit of outcomes in a district general hospital, **A80**
Wong T see Anggiansah A *et al*
 see Anggiansah R *et al*
 see Lee JTM *et al*
 see Vu C *et al*
Wong VS see Thomson A *et al*
Woodall T see Griffiths WJ *et al*
Woodward J see Tremelling M *et al*
 see Waller S *et al*
Woogen SD see Hanauer SB *et al*
Worthen SF *et al*. Effect of anxiety on the sensory and perceptual characteristics of visceral and somatic sensation, **A19**
Wreggitt TG see Griffiths WJH *et al*
Wright M see Rashid M *et al*
Wright NA, Goldenring JR The TFF2/MUC6 secreting cell lineage in mucous transformation of the human gastric mucosa, **A25**
 see Bamba S *et al*
 see Direkze NC *et al*
 see Preston SL *et al*
Wynne K see Rees CJ *et al*
Yamada M see Hanai H *et al*
Yang W see Mallick IH *et al*
Yazaki E see Seward EW *et al*
Yearsley KA *et al*. Proton pump inhibitors as a risk factor for *Clostridium difficile* associated diarrhoea, **A82**
Yeh C see Hanauer SB *et al*
Yeoman AD *et al*. The role of cognitive function in assessing informed consent for endoscopy, **A64**
Yeomans N see Hawkey C *et al*
Yoshimura N see Saniabadi A *et al*
Zaitoun A see Anagnostopoulos GK *et al*
Zaitoun AM see James MW *et al*
Zakaria N *et al*. The natural history of hepatic sarcoid, **A48**
Zulu I *et al*. A randomised controlled trial of nitazoxanide for the syndromic treatment of AIDS related persistent diarrhoea, **A104**