

**"90%  
satisfactory  
response  
obtained in  
ambulant  
patients"**

" The immediate clinical results were assessed after the first month's treatment (with Roter Tablets) . . . 81% of cases became symptom-free—70% of them during the first week and 30% during the second week; a further 9% were relieved of the majority of their symptoms. Thus there was a satisfactory response in 90% of cases . . . In 75% of cases the patients found they were able to take foods which they had avoided for years "

Extract from the **BRITISH MEDICAL JOURNAL** (1955) 2, 827

## **IMPROVED THERAPY FOR PEPTIC ULCER**

" In a series of 155 cases of peptic ulcer treated with . . . (Roter) tablets for three to six weeks, there was immediate relief of pain in 92% of cases and roentgenological healing of the ulcer in 81% . . . The special features of this medication are immediate and prolonged relief of pain, correction of gastric hyperacidity, absence of side reactions, effectiveness for ambulatory patients, and early healing of the ulcer in most cases."

Extract from the **AMERICAN JOURNAL OF GASTROENTEROLOGY** (1957) 28, 439

**"Immediate  
relief of  
pain in  
92%  
of cases"**



**FORMULA PER TABLET.** Magnesium Carbonate (400 mg.), Bismuth Subnitrate Roter (350 mg.), Rhizoma Calami (25 mg.), and Cortex Rhamni Frangulae (25 mg.).

**PACKINGS.** Tins of 40, 120, 640 and dispensing size 720 (P.T. exempt.). Basic N.H.S. price : 1/- for 10 tablets.

**ROTER Tablets are not advertised to the public and may be prescribed on E.C.10 forms. Literature on request.**


**F.A.I.R. LABORATORIES LTD. TWICKENHAM, MIDDLESEX**

**NEW**

a more convenient and economical  
presentation of hydrocortisone  
for ulcerative colitis

**EFCORTELAN SOLUTION**


TRADE MARK



Given as a nightly rectal drip, soluble hydrocortisone (Efcortelan) has been demonstrated to afford rapid alleviation of symptoms of ulcerative colitis in most patients. Symptomatic relief is accompanied by an improvement in the sigmoidoscopic findings and in the colonic mucosa.

The method of treatment is quite suitable for the patient to carry out himself provided the attack is not severe.

With soluble Efcortelan, hormonal side-effects are avoided. If further attacks occur they can usually be reduced by another course of treatment.



Only one of the new Efcortelan Solution Tablets in the appropriate amount of normal saline (100-120 ml) is needed to prepare the retention enema. It is therefore the ideal presentation for home treatment.

**EFCORTELAN SOLUTION TABLETS**

*Foil strip of 7 tablets (one week's treatment). Each tablet contains 100 mg hydrocortisone (as water soluble sodium succinate).*

*Subsidiary Companies or Agents in most countries*

**GLAXO LABORATORIES LTD,  
GREENFORD, MIDDLESEX  
BYRon 3434**

# In Ulcerative Colitis

*extensive clinical  
experience confirms*

## SALAZOPYRIN

*brand of Salicylazosulphapyridine*

*to be a drug of  
significance in  
today's management  
of this distressing  
disease*

SALAZOPYRIN  
is also a safe and  
effective product  
in other forms of  
colitis and re-  
gional enteritis



Outstanding characteristics  
of SALAZOPYRIN  
treatment are:

- Prompt remission of symptoms
- Bleeding and frequency of stools sharply reduced
- Abdominal cramp controlled
- In many cases rectal mucosa heals within a month
- Fever subsides, appetite improves
- Can be given safely over long periods of time

**PHARMACIA** *Manufacturers of pharmaceuticals* UPPSALA SWEDEN

Distributed in Great Britain by Messrs. Savory & Moore Ltd., 60/61 Welbeck St., London, W.1

EDWARD ARNOLD welcome the appearance of *GUT* and announce a new book on

## *Gastric Cytology*

by **R. O. K. SCHADE**, *Senior Lecturer in Pathology, King's College, Newcastle-on-Tyne*

described by Professor John Gilmour in his Foreword as a 'modern Classic' and 'an exciting and absorbing piece of fundamental research'. The first part of the book deals with cytology generally and gives detailed instruction about the method of procedure and advice on the classification and assessment of gastric smears. The second part is concerned with the recognition of the different exfoliated cells which can be recovered from the gastric lumen in health and in disease, and is copiously illustrated by microphotographs. viii + 80 pages; 139 photographs. 35s. net

ESTABLISHED TEXT BOOKS

## *Diffuse Lesions of the Stomach*

by **I. J. WOOD** and **L. I. TAFT**, *of the Walter and Eliza Hall Institute of Medical Research, Royal Melbourne Hospital*

'can be recommended not only to the specialist gastroenterologist but to all practitioners and students of medicine and surgery, whatever their level may be.'—*British Journal of Surgery*. 24s. net

## *Hernia*

by **SIR HENEAGE OGILVIE**

'This is a comprehensive book, satisfactorily brief, full of much commonsense and experience.'—*British Journal of Surgery*. 28s. net

*A catalogue of medical books is available from 41 MADDOX ST., LONDON, W.1*

# The Physiology and Treatment of Peptic Ulcer

EDITED BY J. GARROTT ALLEN

This book is a collection of papers dedicated to Dr L. R. Dragstedt in recognition of his eminence in the field of gastro-intestinal surgery and physiology. The twelve contributors, all former students or colleagues of Dr Dragstedt, discuss the various types of peptic ulcer, their nature, origin, diagnosis and management. 82 text-figures; 25 tables.  
UNIVERSITY OF CHICAGO PRESS


56s. 6d. net

CAMBRIDGE UNIVERSITY PRESS

an improved



antacid preparation



'ALMACARB' tablets are prepared from an aluminium hydroxide-magnesium carbonate co-dried gel manufactured by an entirely new process (Brit. Pat. 812503). The result is a product of exceptional stability with a more rapid and prolonged acid-neutralising action than that of dried aluminium hydroxide gel, either alone or in mechanical admixture with magnesium carbonate.

'ALMACARB' tablets are unique because there is no loss of neutralising action either on processing or tableting.

'ALMACARB' tablets sucked at regular intervals will ensure effective control of gastric acidity. Used in this way they are more convenient than liquid antacids.



**Dosage**


One tablet to be chewed as an initial dose and thereafter one tablet to be sucked slowly at regular intervals.

**Basic N.H.S. Prices**


Individually foil-wrapped tablets.

Cartons of 40 . . . 3/-

Cartons of 200 . . . 12/-  
(Subject to P.T.)



THE BRITISH DRUG HOUSES LTD. (Medical Department) LONDON N.1



*long-acting*  
*anticholinergic*

# Tyrimide\*

*Experimental studies and clinical use have established that :*


1. 'Tyrimide' is inherently long-acting. One dose in the morning and another at night provide an uninterrupted 24-hour effect
2. 'Tyrimide' is effective. Tests of anti-secretory and anti-spasmodic activity have proved 'Tyrimide' to be more effective than other newer synthetics and atropine
3. 'Tyrimide' is remarkably free from troublesome side-effects

*'Tyrimide'—for the  
anticholinergic management  
of peptic ulcer and  
gastro-intestinal disorders*

EACH 'TYRIMIDE' TABLET CONTAINS 5 MG. ISOPROPAMIDE IODIDE  
[3-carbamoyl-3, 3-diphenylpropyl] methyl diisopropyl ammonium iodide

Smith Kline & French Laboratories Ltd  
Welwyn Garden City, Herts

\*'Tyrimide' (Trade mark) brand of isopropamide iodide. Brit. Pat. No. 772921  
TM:PA30



*ACTAL ACTUALITIES*

**ACTAL ARISTOCRATS**

While sightseers tramp the dining halls of his Stately Home, the Actal Aristocrat snatches a sandwich in the potting shed. He goes there to avoid the prying hordes, the cries of the cockle-sellers and the jabber of the chimpanzees in the zoo he has just installed. There also—disturbed only by the sound of the First Earl rolling in his grave—he broods on the evils of taxation and whether he dare put the parking fee up another shilling. A moment's peace, in fact, before removing the inevitable moustache from his great-aunt's portrait in the Long Gallery and rescuing small boys from suits of armour. Despite all this, he rather enjoys pitting his acquired showmanship against that of his noble competitors.

And, if it does give him dyspepsia, he can always take

Actal. No need for bottle and silver spoon. With Actal he gets all the activity of a liquid antacid in tablet form.

Any grateful inclusion of Actal in the family crest is thwarted by its chemical name sodium polyhydroxyaluminium monocarbonate hexitol complex (360 mg.) A lot of syllables for an ingredient cost of only 1/10½d. per week's treatment (2 tabs. t.d.s.). Only his doctor knows this, however—and, of course, the makers of Actal,\* Bayer Products Ltd., Kingston-upon-Thames.

\* TRADE MARK



That gnawing ache . . .

The pain brought on by peptic  
ulcer is quickly relieved by Pro-Banthine—  
*pre-eminent in this field.*

## Pro-Banthine

In cases where peptic ulcer is  
complicated by emotional overlay  
**PRO-BANTHINE WITH DARTALAN**  
is available as a compound tablet  
containing Pro-Banthine 15 mg.  
and Dartalan 3 mg.

**SEARLE**

HIGH WYCOMBE, BUCKS.

PB: P119



*highly effective in infantile diarrhoea*

# NEW ENTERFRAM

*kaolin with Framycetin*

ENTERFRAM, combining the adsorbent, demulcent action of Kaolin with the bactericidal effect of Framycetin, is highly effective in infectious diarrhoea. Framycetin is active against all the bacterial pathogens normally found in gut infections

including staphylococci resistant to other antibiotics. Available evidence shows that it is not absorbed from the gut, so that its action is purely local. Bacterial resistance to Framycetin is rare indeed, and patient sensitivity unknown.

Whenever diarrhoea poses clinical problems, ENTERFRAM will be found to be rapidly, safely effective. The pleasantly flavoured vehicle and the safe, *local* action of the antibiotic make ENTERFRAM especially suitable for children.

*in acute or chronic diarrhoea  
bacillary dysentery  
infantile diarrhoea  
infantile gastro-enteritis  
food poisoning*

## NEW ENTERFRAM

kaolin with Framycetin—the ideal antibiotic for enteric use

Each 30 ml. ENTERFRAM contains 0.3 G Framycetin sulphate and 6.0 G Light Kaolin BP.

**Genatosan Ltd** *Loughborough Leicestershire*




CS40

# 'ALUHYDE'

for prompt, safe symptomatic medication in  
hyperchlorhydria and peptic ulcer

'ALUHYDE' tablets present a new combination with these advantages...


'ALUHYDE' effects safe, reliable, non-systemic neutralization by means of two of the most preferred modern antacid adsorbents...



'ALUHYDE' permits of quick mental sedative-effect by its inclusion of a barbiturate recognized for minimal cumulative potential...



'ALUHYDE' provides antispasmodic action through its content of an agent long known for its favourable influence against hypermotility...



Formula—

Each tablet: Dried Aluminium Hydroxide Gel. B.P.C.	-	3.75 gr.
Magnesium trisilicate B.P.	-	3.75 gr.
Quinalbarbitone sodium B.P.	-	0.50 gr.
Tinct. Belladonnæ B.P.	-	3 m.

Packings—Regular packs of 50 ; bottles of 500 (dispensing)

*Samples available on personally signed request  
of qualified physicians only*

**MULTIPAX CHEMICALS LTD**

142, 144, 146 LARKHALL LANE, LONDON, S.W.4

Phones: MACaulay 8493/6821




1A53

## IN ULCER THERAPY



Bislumina was specifically developed to embody in a single preparation all those properties considered therapeutically desirable in an agent for the local treatment of peptic ulcer and allied dyspeptic disorders.

Bislumina combines inactivation of pepsin with a sustained antacid action and protection of the inflamed gastric mucosa.



**BISLUMINA** Tablets  
each containing Bismuth Aluminate 795 mg.  
Magnesium Oxide 100 mg.

Dosage: 1-2 tablets, three times daily before meals.  
Packs of 12, 30 and 250. Basic N.H.S. Price: 2/11  
for 30 tablets.

Also available: **BISLUMINA** Cream 12 fl. oz. bottles.  
Dose, 1-2 dessertspoonfuls.

*Samples and  
Literature gladly  
sent on request.*



**M.C.P. Pure Drugs Ltd.**

STATION WHARF, ALPERTON, MIDDLESEX

**BUTTERWORTHS****OPERATIVE SURGERY***Under the General Editorship of***CHARLES ROB**  
M.C., M.Chir., F.R.C.S.*and***RODNEY SMITH**  
M.S., F.R.C.S.

This famous work has now been divided into five main groups, and it is now possible to buy sets or single volumes, as follows:

- GENERAL SURGERY** (Set of four volumes)  
**ORTHOPAEDIC AND PLASTIC SURGERY** (Set of two volumes)  
**GYNAECOLOGY AND OBSTETRICS** (Separate volume)  
**GENITO-URINARY SYSTEM** (Separate volume)  
**EYES, EAR, NOSE AND THROAT, AND NEUROSURGERY**  
 (Separate volume)

**BUTTERWORTHS · 88 KINGSWAY · W.C.2**

Showroom : 11-12 BELL YARD, TEMPLE BAR, LONDON, W.C.2

**NEW BOOKS OF DISTINCTION****CLINICAL GASTROENTEROLOGY**

By F. AVERY JONES, M.D., F.R.C.P., and J. W. P. GUMMER, M.S., F.R.C.S. 712 pages, fully illustrated.  
 April. About 70s.

There is at present no adequate textbook of gastroenterology: a book by two authors of such standing will therefore be particularly welcome. They provide a clinical approach to gastroenterology, covering both medical and surgical aspects, with special emphasis on the problems of diagnosis and practical management. The book will be found particularly valuable as a textbook for postgraduate students, and as a source of reference for the general practitioner.

**THE CHILD WITH ABDOMINAL PAINS**

By J. APLEY, M.D., F.R.C.P. November 1959.  
 96 pages. 12s. 6d.

"The author's advice about the attitude towards these children and their parents is understanding and very sound. . . . This is a really practical and helpful book."—*The Lancet*.

**DISEASES OF THE LIVER AND BILIARY SYSTEM**

By SHEILA SHERLOCK, M.D. (Edin.), F.R.C.P. (Lond.), M.R.C.P. (Edin.). *Second Edition*, 1958 (reprinted 1959).  
 736 pages, 213 illustrations. 57s. 6d.

"The author deserves great credit for producing a second edition which is no longer than the first. The book is well written, pleasingly produced and is certainly the most readable and reliable book on this subject in the English language."—*The Practitioner*.

*From Charles C Thomas***SURGICAL GASTROENTEROLOGY**

By W. F. BOWERS, A.B., B.Sc., M.D., M.S., PH.D. April. 510 pp., 328 ill. £7 8s.

**CHEMISTRY OF PANCREATIC DISEASES**

By H. BUSCH, M.D., PH.D. 1959.  
 176 pp., 26 ill. 42s.

**ROENTGEN EXAMINATIONS IN ACUTE ABDOMINAL DISEASES**

By J. FRIMANN-DAHL, M.D. *Second Edition*. March. 538 pp., 446 ill.  
 £6 4s.

**RADIOLOGIC EXAMINATION OF THE SMALL INTESTINE**

By R. GOLDEN, M.D., D.Sc. *Second Edition*. 1959. 588 pp., 219 ill.  
 £11 8s.

**BLEEDING OESOPHAGEAL VARICES—PORTAL HYPERTENSION**

By H. LIEBOWITZ, M.D. 1959. 1,120 pp., 261 ill. £9 3s. 6d.

**DISTURBANCES IN GASTRO-INTESTINAL MOTILITY**

By J. A. RIDER, M.D., and H. C. MOELLER, M.D. 1959. 404 pp., 167 ill.  
 £5 4s.

**THE INTESTINAL TRACT**

By R. P. SPENCER, A.B., M.A., M.D. April. 424 pp., 15 ill. £5 2s.

**BLACKWELL SCIENTIFIC PUBLICATIONS · OXFORD**

# NULACIN "has revolutionized the treatment of duodenal ulcer"

*"This new method of the administration of antacids (Nulacin) has revolutionized the treatment of duodenal ulcer . . . milk drip is no longer part of our therapeutic stock in trade."*

PROC. ROY. SOC. MED., December, 1958, 51, 1063

NULACIN tablets, when allowed to dissolve slowly in the mouth, provide intragastric milk-alkali drip therapy safely and effectively for both the bed-ridden and ambulant patient. They may be relied on to provide a treatment for peptic ulcer as well as other conditions associated with gastric hyperacidity.



The safety and effectiveness of Nulacin therapy has been proven by "in vivo" clinical work carried out in many countries. References to this work include:—

Current Status of the Medical Treatment of Peptic Ulcer, *Med. Times*, January, 1958, **1**, 74

Antacids, *The Practitioner*, January, 1957, **178**, 43

Antacids in Peptic Ulcer, *The Practitioner*, January, 1956, **176**, 103

Recent Advances in the Ulcerative Diseases of the Gastrointestinal Tract, *Amer. J. Gastro.*, December, 1956, **26**, 665

Ambulatory Continuous Drip Method in the Treatment of Peptic Ulcer, *Amer. J. Dig. Dis.*, March, 1955, **22**, 67-71


Management of Peptic Ulceration in General Practice, *Med. World.*, December, 1954, **81**, 591-601

Clinical Investigation into the Action of Antacids, *The Practitioner*, July, 1954, **173**, 46

Further Studies on the Reduction of Gastric Acidity, *Brit. Med. J.*, 23rd January, 1954, **1**, 183-184

Control of Gastric Acidity by a New Way of Antacid Administration, *J. Lab. & Clin. Med.*, 1953, **42**, 955

The Effect on Gastric Acidity of "Nulacin" Tablets, *Med. J. Aust.*, 28th November, 1953, **2**, 823-824



Nulacin tablets have no B.P. equivalent. The Basic N.H.S. price of the 25 tablet tube is 2/-.



Further information is available from :

HORLICKS LIMITED · PHARMACEUTICAL DIVISION · SLOUGH · BUCKS

## **EMERGENCIES IN GENERAL PRACTICE**

This book comprises 57 specially commissioned articles on medical emergencies which appeared originally in the *British Medical Journal*.

Contents include haemorrhage and thrombosis, cardio-respiratory crises, anaesthesia and hazards of therapy, acute abdominal cases, obstetrics, fits and coma, electrocution, burns and gassing, poisoning, acute psychiatric states, and special and minor surgery.

Invaluable to all doctors everywhere.

470 pages, cloth bound with full index. 25s. net (by post—inland and overseas 26s. 9d.).

## **CLINICAL PATHOLOGY IN GENERAL PRACTICE**

This handbook on clinical pathology meets the needs of the general practitioner, the houseman, and the senior student. It contains thirty-nine articles comprising a series specially written for the *British Medical Journal*. Each article has been revised and brought up-to-date by its author. The book gives authoritative information on available laboratory facilities; reliable tests and which to use; techniques for collecting and preserving specimens; interpretation of results and significance of abnormal findings.

321 pages. Price 21s. (by post—inland and overseas 22s. 3d.).

## **REFRESHER COURSE FOR GENERAL PRACTITIONERS**

*Third Collection—with  
Classified Contents List  
to volumes 1, 2 and 3*

Each book contains a collection of sixty Refresher Course articles from the *British Medical Journal*. Each article, written by an acknowledged expert, has been revised by its author. The articles cover a wide range. Their object is to refresh the reader's memory of what is old and well-established and to tell him about new developments.

They are invaluable to general practitioners and residents as practical reference books, to specialists as a means of keeping in touch with developments outside their own field, and to final-year students as up-to-date and reliable textbooks.

25s. (by post—inland and overseas 26s. 9d.).

## **"ANY QUESTIONS?"**

*Third Series—with  
Cumulative Index*

These pocket-size volumes each contain some 200 questions and expert answers from the "Any Questions?" pages of the *British Medical Journal*. Each answer has been chosen for its practical value to doctors in their day-to-day work. Many deal with subjects not covered in the standard textbooks.

The Third volume has a cumulative index to all the answers appearing in the three books in the series.

7s. 6d. (by post 8s. 3d.).

*Obtainable from booksellers or by post from*

**BRITISH MEDICAL ASSOCIATION**

B.M.A. HOUSE, TAVISTOCK SQUARE, LONDON, W.C.1

# For cases of

## PANCREATIC INSUFFICIENCY

Pancrex V is the most effective preparation for replacing pancreatic secretion in the gut.

It is indicated in cystic fibrosis of the pancreas, chronic pancreatitis, pancreatectomy, post-cholecystectomy and all digestive disorders where a relative deficiency


of pancreatic enzymes is a contributory factor.

Pancrex V is activated, whole dried pancreas having a tryptic activity approximately equal to 5 times Pancreatin B.P.

Available in the form of powder or enteric-coated tablets.

**PAINES & BYRNE LIMITED, GREENFORD · MIDDLESEX**

## ABSTRACTS OF WORLD MEDICINE



*A monthly journal of informative abstracts—covering every important article published in over 1,600 medical periodicals throughout the world—dealing in each issue with a comprehensive range of subjects.*

**FOR THE SPECIALIST** to keep him informed of work in progress in other fields as well as his own.

**FOR THE GENERAL PRACTITIONER** to enable him to keep abreast of new developments in every branch of medicine.

**FOR THE POSTGRADUATE STUDENT** to give him a synoptic view of current progress and a guide to further reading.

**FOR THE MEDICAL LIBRARY** to provide an invaluable supplement to its existing resources.

A specimen copy may be obtained free from the Publishing Manager  
**BRITISH MEDICAL ASSOCIATION**  
 B.M.A. House, Tavistock Square, London, W.C.1

**ANNUAL SUBSCRIPTION**  
 (12 issues) £4 4s.  
**U.S.A. AND CANADA**  
 \$13.50

# *Lignocaine?*

**SPECIFY**

# **XYLOTOX**

brand

**LIGNOCAINE  
LOCAL ANAESTHETICS**

**XYLOTOX SOLUTIONS** — for injection and surface application

**XYLOTOX JELLY** — for urethral and vaginal anaesthesia

**XYLOTOX PASTES** — for anaesthesia of mucous membranes

*and now...*

## **XYLOTOX ORAL**

A viscous and pleasantly flavoured preparation containing 2% lignocaine hydrochloride, indicated for the alleviation of a variety of conditions of the upper digestive tract and of the stomach. Supplied in 200 ml. bottles and easy to take orally.

*Full details upon request from Manufacturers:—*



**PHARMACEUTICAL MANUFACTURING COMPANY**

*The Local Anaesthetic Specialists*

EPSOM · SURREY · ENGLAND