

duphalac® in liver failure

Duphalac (lactulose) is now well established as a valuable agent in the treatment of portal-systemic encephalopathy. A recent review in Gut describes its role in these terms.*

"Lactulose is a useful addition to the existing treatment of cirrhotic patients with neuropsychiatric disorders. Most patients respond particularly those with mild and relatively stable symptoms; such patients may receive lactulose indefinitely, and enjoy improved tolerance of dietary protein lactulose is free from significant side effects, and therefore falls into place as a valuable alternative to antibiotics when prolonged therapy is required". *Gut, 1970, 11:1043-1048

The following work on Duphalac in portal systemic encephalopathy has been published:

Treatment of chronic portal-systemic encephalopathy with lactulose *Lancet*, 1966, 1: 890-892

Portal-systemic encephalopathy treated with lactulose (letter) *Lancet*, 1966, 2: 281

Treatment of hepatic system encephalopathy with lactulose *Medical Journal of Australia*, 1968, 2: 160-163

Treatment of portacaval encephalopathy by lactulose *Presse medicale*, 1968, 76: 1675-1676

Cirrhosis, hyperammonaemia and lactulose *Tijdschrift voor Gastro-Enterologie*, 1968, 11: 123-139

Lactulose in the treatment of chronic portal-systemic encephalopathy: a double-blind clinical trial *New England Journal of Medicine*, 1969, 281: 408-412

Long-term treatment of portal-systemic encephalopathy with lactulose *Australian Annals of Medicine*, 1969, 18: 117-123

Die Behandlungen des chronischen Coma hepaticum mit Laktulose
Therapeutische Umschau und medizinische Bibliographie, 1969, 26: 275-277

Lactulose treatment of chronic hepatoportal encephalopathy: a clinical and electroencephalographic study *Acta medica Scandinavica*, 1970, 187: 337-346

The value of EEG frequency analysis in hepatic encephalopathy *J. R. Coll. Surg. Edinb.*, 1970, 15: 151-157

Some observations on the effects of treatment with lactulose on patients with chronic hepatic encephalopathy *Quarterly Journal of Medicine*, 1970, 39: 245-263


A controlled clinical trial of lactulose in hepatic encephalopathy *Gastroenterology*, 1970, 59: 827-832

Duphalac syrup is supplied in bottles of 200 ml and 2 litres. It contains lactulose 50% w/w, galactose 8% w/w and lactose 5% w/w.

Further information available on request.

duphar DUPHAR LABORATORIES LIMITED WEST END SOUTHAMPTON TEL 04218 2281
PHILIPS-DUPHAR (IRELAND) LIMITED RAINSFORD STREET DUBLIN 8 TEL DUBLIN 754271

**inside
every Baritop can
are fine radiographs
waiting
to get out**



The excellent fluidity and optimum concentration of Baritop 100 form a unique combination of properties which results in superior visualisation of mucosal detail. Carbon dioxide is incorporated as an effervescent agent to aid double-contrast procedures and enhance the exceptional palatability of the suspension.

Baritop 100 is the modern liquid barium specifically formulated to match the sophistication of present day equipment and techniques.

The elegant barium suspension at 100% w/v. in convenient 300ml cans.

**Low viscosity
High density
Carbonated
barium
Baritop 100**

**world's finest micronised
barium suspension
from Japan**

Further information available
on request from

Concept Pharmaceuticals Limited
Rickmansworth WD3 1EZ

Baritop is a registered trade mark

Surgical Gut

absorbable by nature
dependable by Ethicon*

When the need is for an absorbable suture ETHICON surgical gut is the natural choice.

The natural advantages of surgical gut are enhanced at Ethicon by the use of the most modern technology available.


The result is a suture of unsurpassed purity and uniformity upon which the surgeon can rely.



ETHICON*
... leadership in wound repair

Do you have a teaching problem?

*Why not consult
us with regard
to adapting your
existing instruments?*



THE MEDICAL SUPPLY ASSOCIATION LIMITED

KINGS CROSS ROAD, DUNDEE, DD2 3QE
BOURNE ROAD, BEXLEY, KENT, DA5 1LF

TELEPHONE 0382 88241
TELEPHONE CRAYFORD 29114

Totally New
Total Nutrition
for the hospital
patient

Vivonex

In the surgical and medical
management of the bowel:

- * Causes no endogenous residue
- * Leaves the intestine virtually free of faeces before surgery
- * Provides total oral nutrition (even when there is minimal gastrointestinal function)
- * Rests the inflamed bowel - ideal for Crohn's disease
- * Limits physical and bacterial insult to fistulae
- * Contains no milk or milk by-products
- * Offers an oral alternative to parenteral feeding

Full information on Vivonex
is available from



**Eaton
Laboratories**

125 High Holborn, London WC1V 6QX.
Telephone: 01-242 9501

'Vivonex' is a registered trade mark



ACTA GASTRO-ENTEROLOGICA BELGICA

Organe de la Société belge de Gastro-entérologie

1973

SOMMAIRE du FASCICULE 1-2

Bibliographie.

J. CL. RAMBAUD et J. J. BERNIER (Paris). Etude de l'absorption intestinale du sodium et du potassium par la perfusion intestinale de solutés isotoniques chez l'homme.

J. HUREAU et C. GILLOT (Paris). Aspects anatomofonctionnels de la vascularisation artérielle et veineuse de l'intestin grêle.

J. F. GRENIER, J. DAUCHEL, D. JAECK, G. SAVA et M. R. ELOY (Strasbourg). Les conséquences physiopathologiques des résections intestinales.

C. SAUTIER, C. FLAMENT, C. RANDRIAMANANA et N. MIRCHAB (Paris). Influence du régime sur la capacité digestive de l'homme et du rat après résection de l'intestin grêle.

C. RICOUR, C. NIHOU-L-FEKETE, D. PELLERIN et P. ROYER (Paris). Technique et indications de la nutrition parentérale au long cours chez l'enfant.

C. RICOUR (Paris). Utilisation de la choléstyramine et des triglycérides à chaîne moyenne dans les résection iléales chez l'enfant.

D. HONORÉ, G. LEJEUNE, A. BIVER, N. JACQUET et R. AMICI (Liège). Aspects chirurgicaux des résections étendues de l'intestin grêle.

J. F. GRENIER, D. JAECK, G. SAVA, J. DAUCHEL et M. R. ELOY (Strasbourg). Les conséquences physiopathologiques de l'inversion d'anse grêle.

E. EYSKENS, Th. PEETERS, J. HELLEMANS et G. VANTRAPPEN (Louvain). L'influence de la transplantation distale et isopéristaltique d'un segment jéjunal sur la motilité et l'évacuation intestinales.

G. DEPADT, J. C. LAURENT et M. BOURNOVILLE (Lille). Etude expérimentale des inversions d'anse grêle (simple et double) après entérectomie étendue.

G. LAGACHE, G. DEPADT, J. M. LEHUT et J. C. LAURENT (Lille). Les effets de la vagotomie après résection étendue du grêle. Etude expérimentale.

G. LAGACHE, C. PROYE, J. C. PARIS et J. C. DUMONT (Lille). Deux observations de résection subtotala du grêle avec colectomie totale. Essai de définition du plus petit segment de grêle restant indispensable à la survie.

SOMMAIRE du FASCICULE 3

Bibliographie.

Le Point sur ...

H. SARLES et J. SAHEL (Marseille). Les pancréatites chroniques.

L. VAN WAES, G. VAN QUICKENBORNE et L. DEMEULENAERE (Tielt). Traitement de l'ascite cirrhotique par réinfusion veineuse mécanique (système Rhodiascit). Premiers résultats personnels.

A. BEKHTI, C. DESAIVE et V. SMOLJAR (Liège). Syndrome appendiculaire lié à l'évolution fulgurante d'une typhlitis amibienne.

SOMMAIRE du FASCICULE 4-5

Bibliographie.

Editorial.

S. BONFILS (Paris). La recherche en psychosomatique digestive.

E. VAN OYE (Bruxelles). Les salmonelloses et les shigelloses en Belgique au cours de la décennie 1962-1971.

M. DE VOS, H. ROELS et L. DEMEULENAERE (Tielt, Gent). La stéatose inflammatoire du foie alcoolique. Observations personnelles et étude de la littérature.

L. BULIGESCO (Bucarest). Les particularités de la forme Waldenström de l'hépatite chronique.

J. P. DEREUME, Ph. SMETS et A. GERARD (Bruxelles). La cancer du rectum. Amputation abdomino-périnéale versus résection antérieure avec anastomose colo-rectale.

Acta Gastro-enterologica Belgica: 8 fascicules par an.

Abonnements (Belgique et étranger): 1,200 Fr.b.

Le fascicule isolé: 250 Fr.b.

Secrétariat et rédaction: rue des Champs Elysées, 43. B. 1050. Bruxelles. Belgique.

she gets them
to school
late...



because of
persistent
diarrhoea

Persistent diarrhoea is one of the commonest presenting symptoms of irritable colon—and it is quickly and easily controlled by Colofac. Colofac reduces colonic hyperactivity by a direct action exerted on the colon musculature. There are no atropine-like side effects or contraindications. Colofac is supplied as tablets of 100 mg. mebeverine hydrochloride. Full information is available on request.

duphar DUPHAR LABORATORIES LIMITED WEST END SOUTHAMPTON TEL 0421 8 2281 
PHILIPS DUPHAR (IRELAND) LIMITED RAINSFORD STREET DUBLIN 8 TEL DUBLIN 754271

colofac®
mebeverine controls the colon
controls the diarrhoea

There's only one healing agent for peptic ulcers as well documented as Biogastrone



and that's Duogastrone

Carbenoxolone is the most thoroughly investigated healing agent available today—and interesting evidence is still mounting. For instance, a recent report* suggests very strongly that carbenoxolone's proven healing properties are not only due to an increase in protective mucus or the creation of a more favourable healing environment—but also to more radical influences. These investigations appear to demonstrate that carbenoxolone actually prolongs the life-span of mucosal epithelial cells and reduces the rate of cell turnover.

Fascinating findings which shed new light on the disease process and provoke re-appraisal of current therapies. *Gut, 1971, 12, 599-603

BIOGASTRONE®

Carbenoxolone sodium tablets for gastric ulcer.

DUOGASTRONE®

Carbenoxolone sodium capsules for duodenal ulcer.



Berk Pharmaceuticals Limited
Godalming & Shalford, Surrey.


The Queen's Award to Industry 1972 to Biorex Laboratories Limited for Technological Innovation in the Development and Production of the drug Carbenoxolone Sodium for the treatment of ulcers.
Made under licence from Biorex Laboratories London
British Patent numbers 843133, 1093286.
• Registered trade mark

J4273

The single solution for parenteral nutrition

Aminoplex 5


1 litre three times per day provides 15g. of utilisable nitrogen and 3000K calories; the nutrient content being derived from synthetic L-Form amino acids, sorbitol and alcohol.



Geistlich Chester

*In co-operation with Salvia-Werk
G.m.b.H., Homburg/Saar, W.Germany.*

Medical literature available from:
Geistlich Sons Ltd.,
Newton Bank,
Long Lane,
Chester CH2 3QZ.
Telephone
Chester 47534-7



ACTA GASTROENTEROLOGICA LATINOAMERICANA

VOL. 4 NO. 1

ENERO—MARZO 1972

TRABAJOS ORIGINALES: ORIGINAL ARTICLES

Acta Gastroenterologica Latinoamericana is a tri-monthly publication sponsored by the *Asociación Interamericana de Gastroenterología*. It is edited by a non profit organization. The Editorial Board is formed by relevant gastroenterologists from all the Latin American countries.

Papers are published in Spanish, Portuguese, English and French languages. An English abstract gives precise statements of the studies done in each paper.

Subscription \$9.00 USA per year.

Address: Pol. A. Posadas, Martinez de Hoz y Perdriel, Haedo, Rep. Argentina.

TODAY'S DRUGS/3

The third and final volume of the '*Today's Drugs*' series, like its predecessors, is based on *B.M.J.* articles revised and brought up to date by their authors. It deals with respiratory agents, drugs acting on the central nervous system, and a miscellaneous group of drugs.

Demy Octavo—Paperback—191 pages

Price £1.25 (U.S.A. \$3.75), including postage

Copies of *Today's Drugs/3* are available direct from
The Publisher, BRITISH MEDICAL JOURNAL, BMA House,
Tavistock Square, London WC1H 9JR or through any leading bookseller

PUBLIC SERVICE OF SOUTH AUSTRALIA

GASTROENTEROLOGIST
Hospitals Department
The Queen Elizabeth Hospital

Salary Limits: \$11604/13104 } per annum according
\$13604/15104 } to qualification
and experience

Duties: Senior staffing of the Gastroenterology Unit will include a Director (full-time) and there is at present one Deputy Director (half-time). The Gastroenterologist will be responsible for some of the administration of the Unit, performance of inpatient and outpatient consultations, performance of special investigations, such as endoscopy. He will be expected to initiate research studies and participate in the teaching activities.

Qualifications: Status of a Consultant Gastroenterologist.

Special Conditions: Initially an appointment will be made on a half-time basis with salary adjusted according to hours worked.

Applications, including full name, address, date of birth and details of war service (if any), for the position set out above, marked confidential and addressed to The Administrator, The Queen Elizabeth Hospital, Woodville, SA011.

Disorders of Carbohydrate Metabolism

The Proceedings of a Symposium
organized by the
Association of Clinical Pathologists
Edited by
G. K. McGowan and G. Walters

**Price £1.50 (U.S.A. \$4.50)
including postage**

The Publishing Manager, JOURNAL OF CLINICAL PATHOLOGY, B.M.A. House, Tavistock Square, London WC1H 9JR