



GASTRIC REFLUX GAVISCON REFLUX



causes heartburn prevents heartburn


Reflux of gastric acid, which inflames and eventually erodes the delicate oesophageal mucosa, frequently gives rise to burning chest pain—described by the patient as 'heartburn'—a symptom which heralds more serious trouble unless it is dealt with promptly and thoroughly.

1 By forming a viscous demulcent gel which floats as a 'raft' over the stomach contents Gaviscon physically suppresses gastric reflux.

2 When reflux becomes particularly vigorous the Gaviscon 'raft' itself is the first fraction to enter the oesophagus where it presents a unique physical barrier to acid attack—even when the patient stoops or lies down.

3 By thus soothing and protecting the delicate mucosa Gaviscon prevents pain, permits regression of inflammation and allows the irritated cardiac 'sphincter' to resume its normal competence.

4 A double-blind trial in patients with sliding hiatus hernia showed that Gaviscon produced almost total relief of regurgitation and heartburn in 79% and 67% of the patients respectively.*



Heartburn in:
 Gastric reflux
 Reflux oesophagitis
 Hiatus hernia
 Pregnancy



GAVISCON^{Regd.}


GASTRIC REFLUX SUPPRESSANT

Gaviscon contains: Alginic Acid BPC, Sodium Alginate BPC, Magnesium Trisilicate BP, Dried Aluminium Hydroxide Gel BP, Sodium Bicarbonate BP, Sucrose BP and Mannitol BP. Gaviscon is available as mint flavoured tablets and chocolate flavoured granules.
 * *Current Medical Research and Opinion*, (1972) 1, 63.

† Further information available on request from: Reckitt & Colman Pharmaceutical Division, Hull HU8 7DS. Telephone 0482 26151

Do you have a teaching problem?

*Why not consult
us with regard
to adapting your
existing instruments?*



THE MEDICAL SUPPLY ASSOCIATION LIMITED

KINGS CROSS ROAD, DUNDEE, DD2 3QE
BOURNE ROAD, BEXLEY, KENT, DA5 1LF

TELEPHONE 0382 88241
TELEPHONE CRAYFORD 29114



VIVONEX

In the surgical and medical management of the bowel:

- * Produces no exogenous residue
- * Leaves the intestine virtually free of faeces before surgery
- * Provides total oral nutrition (even when there is minimal gastrointestinal function)
- * Rests the inflamed bowel – ideal for Crohn's disease
- * Limits physical and bacterial insult to fistulae
- * Contains no milk or milk by-products
- * Offers an oral alternative to parenteral feeding

Further information is available from the hospital Chief Pharmacist, Dietitian, or from our Medical Department.



125 High Holborn, London WC1V 6QX.
Telephone: 01-242 9501

'Vivonex' is a registered trade mark
Brit. Pat. 1.159.615



The single solution

for parenteral nutrition


Aminoplex 5

1 litre three times per day provides 15g. of utilisable nitrogen and 3000K calories; the nutrient content being derived from synthetic L-Form amino acids, sorbitol and alcohol.

Geistlich Chester

*In co-operation with Salvia-Werk
G.m.b.H., Homburg/Saar, W. Germany.*

Medical literature
available from:
Geistlich Sons Ltd.,
Newton Bank,
Long Lane,
Chester CH2 3QZ.
Telephone
Chester 47534-7



Surgical Gut

absorbable by nature
dependable by Ethicon*

When the need is for an absorbable suture ETHICON surgical gut is the natural choice.

The natural advantages of surgical gut are enhanced at Ethicon by the use of the most modern technology available.

The result is a suture of unsurpassed purity and uniformity upon which the surgeon can rely.




ETHICON*

... leadership in wound repair

Ethicon Ltd. Surgical Sutures Division, Johnson & Johnson, New York, N.Y. 10017. *Trademark

inside
every Baritop can
are fine radiographs
waiting
to get out



The excellent fluidity and optimum concentration of Baritop 100 form a unique combination of properties which results in superior visualisation of mucosal detail. Carbon dioxide is incorporated as an effervescent agent to aid double-contrast procedures and enhance the exceptional palatability of the suspension.

Baritop 100 is the modern liquid barium specifically formulated to match the sophistication of present day equipment and techniques.

The elegant barium suspension at 100% w/v in convenient 300ml cans.

Low viscosity
High density
Carbonated
barium
Baritop 100


**world's finest micronised
barium suspension
from Japan**

Further information available
on request from

 Concept Pharmaceuticals Limited
Rickmansworth WD3 1EZ

Baritop is a registered trade mark

she gets them
to school
late...



because of
persistent
diarrhoea

Persistent diarrhoea is one of the commonest presenting symptoms of irritable colon—and it is quickly and easily controlled by Colofac. Colofac reduces colonic hyperactivity by a direct action exerted on the colon musculature. There are no atropine-like side effects or contra-indications. Colofac is supplied as tablets of 100 mg. mebeverine hydrochloride. Full information is available on request.

duphar DUPHAR LABORATORIES LIMITED WEST END SOUTHAMPTON TEL 04218 2281
PHILIPS DUPHAR (IRELAND) LIMITED RAINFORD STREET DUBLIN 8 TEL DUBLIN 754271 

colofac[®]
mebeverine

controls the colon
controls the diarrhoea

Duogastrone is receiving full recognition



In recent years, increasing use of the fibroscope has confirmed what clinical papers* have been saying for some time—Biogastrone and Duogastrone are highly effective, specific ulcer-healing agents. What is more—both gastric and duodenal ulcers have been seen to heal more rapidly than with other treatments. And because they eliminate the need for long-term treatment with antacids or anticholinergics, these preparations make economic, as well as therapeutic sense.

**more than 40 English language papers have been published on the clinical use of carbenoxolone.*

BIOGASTRONE

Carbenoxolone sodium capsules *heal* duodenal ulcers

DUOGASTRONE

Carbenoxolone sodium tablets *heal* gastric ulcers



Further information is available from Berk Pharmaceuticals Limited Shalford, Surrey, England.



The Queen's Award to Industry 1972 to Biorex Laboratories Limited for Technological Innovation in the Development and Production of the drug carbenoxolone sodium for the treatment of ulcers. Made under licence from Biorex Laboratories London.

British Patent numbers 843133, 1093286 · Registered trade mark.

J4368

duphalac[®] in lactulose liver failure

Duphalac (lactulose) is now well established as a valuable agent in the treatment of portal-systemic encephalopathy. A recent review in Gut describes its role in these terms.*

"Lactulose is a useful addition to the existing treatment of cirrhotic patients with neuropsychiatric disorders. Most patients respond particularly those with mild and relatively stable symptoms; such patients may receive lactulose indefinitely, and enjoy improved tolerance of dietary protein . . .
. . . lactulose is free from significant side effects, and therefore falls into place as a valuable alternative to antibiotics when prolonged therapy is required". *Gut, 1970, 11: 1043-1048

The following work on Duphalac in portal systemic encephalopathy has been published:

Treatment of chronic portal-systemic encephalopathy with lactulose *Lancet*, 1966, 1: 890-892

Portal-systemic encephalopathy treated with lactulose (letter) *Lancet*, 1966, 2: 281

Treatment of hepatic system encephalopathy with lactulose *Medical Journal of Australia*, 1968, 2: 160-163

Treatment of portacaval encephalopathy by lactulose *Presse medicale*, 1968, 76: 1675-1676

Cirrhosis, hyperammonaemia and lactulose *Tijdschrift voor Gastro-Enterologie*, 1968, 11: 123-139

Lactulose in the treatment of chronic portal-systemic encephalopathy: a double-blind clinical trial *New England Journal of Medicine*, 1969, 281: 408-412

Long-term treatment of portal-systemic encephalopathy with lactulose *Australasian Annals of Medicine*, 1969, 18: 117-123

Die Behandlungen des chronischen Coma hepaticum mit Laktulose
Therapeutische Umschau und medizinische Bibliographie, 1969, 26: 275-277

Lactulose treatment of chronic hepatoportal encephalopathy: a clinical and electroencephalographic study
Acta medica Scandinavica, 1970, 187: 337-346


The value of EEG frequency analysis in hepatic encephalopathy
J. Ryl. Coll. Surg. Edinb., 1970, 15: 151-157

Some observations on the effects of treatment with lactulose on patients with chronic hepatic encephalopathy
Quarterly Journal of Medicine, 1970, 39: 245-263

A controlled clinical trial of lactulose in hepatic encephalopathy
Gastroenterology, 1970, 59: 827-832

Duphalac syrup is supplied in bottles of 200 ml and 2 litres. It contains lactulose 50% w/w, galactose 8% w/w and lactose 5% w/w.

Further information available on request.



CHURCHILL LIVINGSTONE

CURRENT PRACTICE OF BILIARY SURGERY

Gabriel A. Kune

1973 442 pages 164 illustrations £8-00

Stressing safety and effectiveness in surgical technique, this timely guide to biliary surgery will be appreciated by the surgeon and should also prove of interest to the gastroenterologist and radiologist. Dr. Kune explains the surgical anatomy and the physiology of the biliary tract, giving careful attention to subtle variations in the anatomical relationships of blood vessels and bile ducts in the biliary system. Included for the first time in one book is a critical evaluation of the diagnostic accuracy of intravenous cholangiography, percutaneous transhepatic cholangiography, operative cholangiography, choledochoscopy, and liver scanning of the jaundiced patient. Supplemented with excellent line drawings, the text delineates principles involved in cholecystectomy, choledocholithotomy, bile duct exploration, and other biliary operations.

CHURCHILL LIVINGSTONE

23 Ravelston Terrace, Edinburgh EH4 3TL

Disorders of Lipid Metabolism

The Proceedings of a Symposium organized by the Association of Clinical Pathologists

CONTENTS: Cholesterol metabolism ● Plasma triglyceride metabolism ● Phospholipids and their metabolism ● Lipid methodology ● Diet and triglyceride metabolism ● Classification of lipoproteins and lipoprotein disorders ● Lipoprotein fractionation ● The pathogenesis of atherosclerosis ● Plasma lipids and atherosclerosis ● Evidence for a defect in fatty acid uptake by adipose tissue of patients with hypertriglyceridaemia ● Hypolipoproteinaemia ● The enterohepatic circulation of bile acids as they relate to lipid disorders ● Secondary hyperlipidaemia ● Therapy of lipid disorders.

PRICE £2-00 (U.S.A. \$6-00) including postage

This publication can be ordered *now* from: The Publishing Manager

JOURNAL OF CLINICAL PATHOLOGY

B.M.A. House, Tavistock Square, London, WC1H 9JR.

DEUTSCHE ZEITSCHRIFT FÜR VERDAUUNGS- UND STOFFWECHSELKRANKHEITEN

einschließlich Theorie und Praxis der Krankenernährung

Founded in 1938 by Max Bürger

Journal of the "Gesellschaft für Gastroenterologie und Ernährung der DDR"

Edited by Prof. Dr. Martin Gülzow, Rostock, Prof. Dr. Dieter Lohmann, Leipzig, with contributions by numerous well-known scientists

1 volume in 6 numbers annually. Subscription rate per volume M. 31,80 including postage

The aim of the "Deutsche Zeitschrift für Verdauungs- und Stoffwechselkrankheiten" is to acquaint specialists of the various realms, whose scientific or practical work is connected with this field, with the latest results. It carries on the tradition of the oldest gastroenterological journal in German, the "Archiv für Verdauungskrankheiten". Apart from the original contributions, which make up the bulk of the contents, there are topical surveys, reports about congresses from home and abroad, book discussions and discussions of important articles published in other periodicals.

Of interest to: Gastroenterologists, Pediatricists, Surgeons, Internists, Röntgenologists and all specialists in this field

From the contents of the last numbers:

Beňo, J., Z. Kopec und M. Ovečka (Bratislava): Die Pankreasfunktion nach der Magenresektion

Cerlek, S., V. Hudolin, M. Knezevic, S. Forenbacher, N. Lang und N. Cerlek (Zagreb): Alkohol und Leberparenchymveränderungen. (Klinische und experimentelle Beobachtungen)

Fiehring, Ch., K. König, H. Koslowski, U. Wedekind, K. Menzel und G. Jung (Erfurt): Darmbiotische Befunde bei kindlichen Patienten im Ausheilungsstadium schwerer chronischer Verdauungsstörungen

Jorke, D., M. Reinhardt, W. Scheffler und M. Wagner (Jena): Untersuchungen zur Epidemiologie chronischer Lebererkrankungen

Kühn, H. A. (Würzburg): Akute und chronische Hepatiden im Alter

Loginow, A. S., und A. M. Jarceva (Moskau): Einige Ergebnisse immunologischer Untersuchungen bei chronischen Lebererkrankungen

Oshima, H. (Westberlin): Frühauffindung des Magenkrebses—Möglichkeiten und Ergebnisse

Petzold, H., und H. Achenbach (Leipzig): Enzymhistochemische Untersuchungen an der Dünndarmschleimhaut vor und bei Kohlenhydratresorption

Ritter, I., und E. Schmid (Lübeck): Über die gastrointestinale Motorik des Menschen und ihre Beeinflussbarkeit durch Pharmaka

Stoichita, S., E. Marinescu, D. Jonescu, und S. Schiau (Budapest): Magendivertikel

Tacorian, S., V. Runcan, J. State, und M. Dumtrescu (Bukarest): Immunologische Prozesse bei der subakuten und chronischen Hepatitis (Lymphozytäre Untersuchungen)



Please ask for the new prospectus

JOHANN AMBROSIUS BARTH LEIPZIG

DDR-701 Leipzig, Salomonstrasse 18b, Postfach 109